B Functions and Graphing

What You'll Learn

- **Lesson 8-1** Use functions to describe relationships between two quantities.
- **Lessons 8-2, 8-3, 8-6, and 8-7** Graph and write linear equations using ordered pairs, the *x* and *y*-intercepts, and slope and *y*-intercept.
- **Lessons 8-4 and 8-5** Find slopes of lines and use slope to describe rates of change.
- **Lesson 8-8** Draw and use best-fit lines to make predictions about data.
- **Lessons 8-9 and 8-10** Solve systems of linear equations and linear inequalities.

Why It's Important

Key Vocabulary

- function (p. 369)
- linear equation (p. 375)
- slope (p. 387)
- rate of change (p. 393)
- system of equations (p. 414)

You can often use functions to represent real-world data. For example, the winning times in Olympic swimming events can be shown in a scatter plot. You can then use the data points to write an equation representing the relationship between the year and the winning times. *You will use a function in Lesson 8-8 to predict the winning time in the women's 800-meter freestyle event for the 2008 Olympics.*

CONTENTS

Getting Started

Prerequisite Skills To be successful in this chapter, you'll need to master these skills and be able to apply them in problem-solving situations. Review these skills before beginning Chapter 8.

For Lesson 8-1

Relations

Express each relation as a table. Then determine the domain and range. (For review, see Lesson 1-6.)


1. {(0, 4), (-3, 3)} **2.** {(-5, 11), (2, 1)} **4.** $\{(1, -9), (5, 12), (-3, -10)\}$ **5.** $\{(-8, 5), (7, -1), (6, 1), (1, -2)\}$

3. {(6, 8), (7, 10), (8, 12)}

For Lesson 8-3

The Coordinate System


Use the coordinate grid to name the point for each ordered pair. (For review, see Lesson 2-6.) **6.** (-3, 0) **7.** (3, -2) **8.** (-4, -2) **9.** (0, 4) **10.** (4, 6) **11.** (4, 0)



For Lesson 8-10

Inequalities

For the given value, state whether the inequality is true or false. (For review, see Lesson 7-3.) **12.** $8y \ge 25, y = 4$ **13.** 18 < t + 12, t = 10 **14.** n - 15 > 7, n = 20**15.** $5 \ge 2x + 3, x = 1$ **16.** $12 \le \frac{2}{3}n, n = 9$ **17.** $\frac{1}{2}x - 5 < 0, x = 8$



Reading and Writing As you read and study the chapter, draw examples of functions on the grid paper and write notes under the tabs.

CONTENTS




Algebra Activity

Input and Output

In a *function*, there is a relationship between two quantities or sets of numbers. You start with an input value, apply a function rule of one or more operations, and get an output value. In this way, each input is assigned exactly one output.

Collect the Data

- **Step 1** To make a *function machine*, draw three squares in the middle of a 3-by-5-inch index card, shown here in blue.
- **Step 2** Cut out the square on the left and the square on the right. Label the left "window" INPUT and the right "window" OUTPUT.
- **Step 3** Write a rule such as " \times 2 + 3" in the center square.
- **Step 4** On another index card, list the integers from -5 to 4 in a column close to the left edge.



- **Step 5** Place the function machine over the number column so that -5 is in the left window.
- **Step 6** Apply the rule to the input number. The output is $-5 \times 2 + 3$, or -7. Write -7 in the right window.

Make a Conjecture

- **1.** Slide the function machine down so that the input is -4. Find the output and write the number in the right window. Continue this process for the remaining inputs.
- **2.** Suppose *x* represents the input and *y* represents the output. Write an algebraic equation that represents what the function machine does.
- **3.** Explain how you could find the input if you are given a rule and the corresponding output.
- **4.** Determine whether the following statement is *true* or *false*. Explain.

The input values depend on the output values.

5. Write an equation that describes the relationship between the input value *x* and output value *y* in each table.

Input	Output
-1	-2
0	0
1	2
3	6

Input	Output
-2	2
-1	3
0	4
1	5

Extend the Activity

6. Write your own rule and use it to make a table of inputs and outputs. Exchange your table of values with another student. Use the table to determine each other's rule.



8-1 Functions

How

What You'll Learn

- Determine whether relations are functions.
- Use functions to describe relationships between two quantities.

Vocabulary

- function
- vertical line test

can the relationship between actual temperatures and windchill temperatures be a function?

The table compares actual temperatures and windchill temperatures when the wind is blowing at 10 miles per hour.

- **a.** On grid paper, graph the temperatures as ordered pairs (actual, windchill).
- **b.** Describe the relationship between the two temperature scales.

。 	Actual Windchill Temperature Temperature (°F) (°F)
	-10 -34
	0 -22
	109
	20 3

Source: The World Almanac

c. When the actual temperature is -20° F, which is the best estimate for the windchill temperature: -46° F, -28° F, or 0° F? Explain.

RELATIONS AND FUNCTIONS Recall that a relation is a set of ordered pairs. A **function** is a special relation in which each member of the domain is paired with *exactly* one member in the range.

Relation	Diagram	Is the Relation a Function?
{(-10, -34), (0, -22), (10, -9), (20, 3)}	domain (x) range (y) $-10 \rightarrow -34$ $0 \rightarrow -22$ $10 \rightarrow -9$ $20 \rightarrow 3$	Yes, because each domain value is paired with exactly one range value.
{(-10, -34), (-10, -22), (10, -9), (20, 3)}	domain (x) range (y) $-10 \rightarrow -34$ $\rightarrow -22$ $10 \rightarrow -9$ $20 \rightarrow 3$	No, because -10 in the domain is paired with two range values, -34 and -22 .

Since functions are relations, they can be represented using ordered pairs, tables, or graphs.

Example 1 Ordered Pairs and Tables as Functions

Determine whether each relation is a function. Explain.

CONTENTS

a. {(-3, 1), (-2, 4), (-1, 7), (0, 10), (1, 13)}

This relation is a function because each element of the domain is paired with exactly one element of the range.

b.	x	5	3	2	0	-4	-6	1
	y	1	3	1	3	-2	2	

This is a function because for each element of the domain, there is only one corresponding element in the range.

Study Tip

Look Back To review relations, domain, and range, see Lesson 1-6.




Function

Everyday Meaning: a relationship in which one quality or trait depends on another. Height is a function of age.

Math Meaning: a relationship in which a range value depends on a domain value. *y* is a function of *x*.

Another way to determine whether a relation is a function is to use the **vertical line test**. Use a pencil or straightedge to represent a vertical line.


Place the pencil at the left of the graph. Move it to the right across the graph. If, for each value of x in the domain, it passes through no more than one point on the graph, then the graph represents a function.



Example 2 Use a Graph to Identify Functions


Determine whether the graph at the right is a function. Explain your answer.

The graph represents a relation that is *not* a function because it does not pass the vertical line test. By examining the graph, you can see that when x = 2, there are three different y values.



DESCRIBE RELATIONSHIPS A

function describes the relationship between two quantities such as time and distance. For example, the distance you travel on a bike depends on how long you ride the bike. In other words, *distance is a function of time*.



Example 3 Use a Function to Describe Data

• SCUBA DIVING The table shows the water pressure as a scuba diver descends.

a. Do these data represent a function? Explain.

This relation is a function because at each depth, there is only one measure of pressure.

b. Describe how water pressure is related to depth.

Water pressure depends on the depth. As the depth increases, the pressure increases.


Depth (ft)	Water Pressure (lb/ft ³)
0	0
1	62.4
2	124.8
3	187.2
4	249.6
5	312.0

Source: www.infoplease.com



Scuba Diving

To prevent decompression sickness, or the "bends," it is recommended that divers ascend to the surface no faster than 30 feet per minute. **Source:** www.mtsinal.org







Check for Understanding

- *Concept Check* **1. Describe** three ways to represent a function. Show an example of each.
 - 2. Describe two methods for determining whether a relation is a function.
 - **3. OPEN ENDED** Draw the graph of a relation that is not a function. Explain why it is not a function.


Guided Practice Determine whether each relation is a function. Explain.

- 4. $\{(13, 5), (-4, 12), (6, 0), (13, 10)\}$
- **5.** {(9.2, 7), (9.4, 11), (9.5, 9.5), (9.8, 8)}










Application	WEATHER For Exercises 10 and 11,	
	use the table that shows how various	
	wind speeds affect the actual	
	temperature of 30°F.	

- **10.** Do the data represent a function? Explain.
- **11.** Describe how windchill temperatures are related to wind speed.



Source: The World Almanac

Practice and Apply

See Examples

1

2

3

Homework Help

Extra Practice See page 741.

For

Exercises

12-19

20-23

24-27

Determine whether each relation is a function. Explain.

CONTENTS

- **12.** {(-1, 6), (4, 2), (2, 36), (1, 6)}
- **14.** {(9, 18), (0, 36), (6, 21), (6, 22)}

16.	Domain	Range
	-4	-2
	-2	1
	0	2
	3	1)


- **13.** $\{(-2, 3), (4, 7), (24, -6), (5, 4)\}$
- **15.** {(5, -4), (-2, 3), (5, -1), (2, 3)}


17.	Domain	Range
	-1	5
	-2	5
	-2	1
	-6	1


Determine whether each relation is a function. Explain.

x

x







Source: The Wall Street Journal Almanac

27. Describe how the average size of farms is related to the year.

MEASUREMENTS For Exercises 28 and 29, use the data in the table.

- 28. Do the data represent a function? Explain.
- **29.** Is there any relation between foot length and height?

Tell whether each statement is *always*, sometimes, or never true. Explain.

30. A function is a relation.

31. A relation is a function.

FARMING For Exercises 24–27, use the table that shows the number and size of farms in the United States every decade from 1950 to 2000.

- **24.** Is the relation (year, number of farms) a function? Explain.
- **25.** Describe how the number of farms is related to the year.
- **26.** Is the relation (year, average size of farms) a function? Explain.

Name	Foot Length (cm)	Height (cm)
Rosa	24	163
Tanner	28	182
Enrico	25	163
Jahad	24	168
Abbi	22	150
Cory	26	172



Study Tip Trends

There may be general trends in sets of data. However, not every data point may follow the trend exactly.

- **32. CRITICAL THINKING** The *inverse* of any relation is obtained by switching the coordinates in each ordered pair of the relation.
 - **a.** Determine whether the inverse of the relation {(4, 0), (5, 1), (6, 2), (6, 3)} is a function.
 - **b.** Is the inverse of a function *always, sometimes,* or *never* a function? Give an example to explain your reasoning.
- **33.** WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How can the relationship between actual temperatures and windchill temperatures be a function?

Include the following in your answer:

- an explanation of how actual temperatures and windchill temperatures are related for a given wind speed, and
- a discussion about whether an actual temperature can ever have two corresponding windchill temperatures when the wind speed remains the same.
- **34.** The relation $\{(2, 11), (-9, 8), (14, 1), (5, 5)\}$ is *not* a function when which ordered pair is added to the set?

 \bigcirc (0, 0)

(A) (8, −9) (B) (6, 11)

D (2, 18)

- **35.** Which statement is true about the data in the table?
 - (A) The data represent a function.
 - **B** The data do not represent a function.
 - C As the value of *x* increases, the value of *y* increases.
 - D A graph of the data would not pass the vertical line test.

x	у
-4	-4
2	16
5	8
10	-4
12	15

Maintain Your Skills

Mixed ReviewSolve each inequality. Check your solution.(Lessons 7-5 and 7-6)36. 4y > 2437. $\frac{a}{3} < -7$ 38. $18 \ge -2k$ 39. 2x + 5 < 1740. $2t - 3 \ge 1.4t + 6$ 41. 12r - 4 > 7 + 12rSolve each problem by using the percent equation.(Lesson 6-7)42. 10 is what percent of 50?43. What is 15% of 120?44. Find 95% of 256.45. 46.5 is 62% of what number?46. State whether the sequence 120, 100, 80, 60, ... is arithmetic, geometric, or neither. Then write the next three terms of the sequence.(Lesson 5-10)

Getting Ready for	PREREQUISITE SKILL	Evaluate each expression if	x = 4 and $y = -1$.	
the Next Lesson	(To review evaluating expressions, see Lesson 1-3.)			
	47. 3 <i>x</i> + 1	48. 2 <i>y</i>	49. <i>y</i> + 6	
	50. $-5x$	51. 2 <i>x</i> - 8	52. 3 <i>y</i> - 4	
			Lesson 8-1 Functions 373	

CONTENTS






Graphing Calculator Investigation

Function Tables

You can use a TI-83 Plus graphing calculator to create function tables. By entering a function and the domain values, you can find the corresponding range values.



Exercises

Use the TABLE option on a graphing calculator to complete each exercise.

- 1. Consider the function f(x) = -2x + 4 and the domain values $\{-2, -1, 0, 1, 2\}$.
 - **a.** Use a function table to find the range values.
 - **b.** Describe the relationship between the X and Y values.
 - c. If X is less than -2, would the value for Y be greater or less than 8? Explain.
- **2.** Suppose you are using the formula d = rt to find the distance d a car travels for the times t in hours given by $\{0, 1, 3.5, 10\}$.
 - **a.** If the rate is 60 miles per hour, what function should be entered in the Y = list?
 - **b.** Make a function table for the given domain.
 - c. Between which two times in the domain does the car travel 150 miles?
 - **d.** Describe how a function table can be used to better estimate the time it takes to drive 150 miles.
- **3.** Serena is buying one packet of pencils for \$1.50 and a number of fancy folders x for \$0.40 each. The total cost y is given by y = 1.50 + 0.40x.
 - **a.** Use a function table to find the total cost if Serena buys 1, 2, 3, 4, and 12 folders.
 - **b.** Suppose plain folders cost \$0.25 each. Enter y = 1.50 + 0.25x in the Y= list as Y2. How much does Serena save if she buys pencils and 12 plain folders rather than pencils and 12 fancy folders?

CONTE

www.pre-alg.com/other calculator keystrokes

Linear Equations in Two Variables

What You'll Learn

- Solve linear equations with two variables.
- Graph linear equations using ordered pairs.

How can linear equations represent a function?

Peaches cost \$1.50 per can.

- **a.** Complete the table to find the cost of 2, 3, and 4 cans of peaches.
- Number of Cans (x)
 1.50x
 Cost (y)

 1
 1.50(1)
 1.50

 2

 Paches


 3

 4
- b. On grid paper, graph the ordered pairs (number, cost). Then draw a line through the points.
- **c.** Write an equation representing the relationship between number of cans *x* and cost *y*.

SOLUTIONS OF EQUATIONS Functions can be represented in words, in a table, as ordered pairs, with a graph, and with an equation.

An equation such as y = 1.50x is called a linear equation. A **linear equation** in two variables is an equation in which the variables appear in separate terms and neither variable contains an exponent other than 1.

Solutions of a linear equation are ordered pairs that make the equation true. One way to find solutions is to make a table. Consider the equation y = -x + 8.



So, four solutions of y = -x + 8 are (-1, 9), (0, 8), (1, 7), and (2, 6).

Example 🚺 Find Solutions

Find four solutions of y = 2x - 1.

Choose four values for *x*. Then substitute each value into the equation and solve for *y*.

Four solutions are (0, -1), (1, 1), (2, 3), and (3, 5).

x	y=2x-1	у	(<i>x</i> , <i>y</i>)
0	y = 2 <mark>(0)</mark> - 1	-1	(0, -1)
1	<i>y</i> = 2(1) - 1	1	(1, 1)
2	<i>y</i> = 2 <mark>(2)</mark> - 1	3	(2, 3)
3	<i>y</i> = 2(3) - 1	5	(3, 5)

Vocabulary

8-2

linear equation

Study Tip

Input and Output The variable for the input is called the **independent variable** because it can be any number. The variable for the output is called the **dependent variable** because it *depends* on the input value.



Sometimes it is necessary to first rewrite an equation by solving for *y*.

Example 2 Solve an Equation for y

SHOPPING Fancy goldfish $x \cos t$ \$3, and regular goldfish $y \cos t$ \$1. Find four solutions of 3x + y = 8 to determine how many of each type of fish Tyler can buy for \$8.

First, rewrite the equation by solving for *y*.

3x + y = 8 Write the equation. 3x + y - 3x = 8 - 3x Subtract 3x from each side. y = 8 - 3x Simplify.

Choose four *x* values and substitute them into y = 8 - 3x. Four solutions are (0, 8), (1, 5), (2, 2), and (3, -1).

- (0, 8) He can buy 0 fancy goldfish and 8 regular goldfish.
- (1, 5) He can buy 1 fancy goldfish and 5 regular goldfish.


x	y=8-3x	у	(<i>x</i> , <i>y</i>)
0	<i>y</i> = 8 - 3(0)	8	(0, 8)
1	<i>y</i> = 8 - 3(1)	5	(1, 5)
2	y = 8 - 3(2)	2	(2, 2)
3	<i>y</i> = 8 - 3(3)	-1	(3, -1)

(2, 2) He can buy 2 fancy goldfish and 2 regular goldfish.
(3, -1) This solution does not make sense, because there cannot be a negative number of goldfish.


.....


Concept Check Write the solution of 3x + y = 10 if x = 2.

GRAPH LINEAR EQUATIONS A linear equation can also be represented by a graph. Study the graphs shown below.





Linear Equations






Nonlinear Equations







Notice that graphs of the linear equations are straight lines. This is true for all linear equations and is the reason they are called "linear." The coordinates of all points on a line are solutions to the equation.

Study Tip

Choosing x Values It is often convenient to choose 0 as an *x* value to find a value for *y*.



Study Tip

Plotting Points

You can also graph just two points to draw the line and then graph one point to check. To graph a linear equation, find ordered pair solutions, plot the corresponding points, and draw a line through them. It is best to find at least three points.

Example 3 Graph a Linear Equation


Graph y = x + 1 by plotting ordered pairs.

First, find ordered pair solutions. Four solutions are (-1, 0), (0, 1), (1, 2), and (2, 3).

x	y = x + 1	y	(<i>x</i> , <i>y</i>)
-1	y = -1 + 1	0	(-1, 0)
0	<i>y</i> = 0 + 1	1	(0, 1)
1	<i>y</i> = 1 + 1	2	(1, 2)
2	<i>y</i> = 2 + 1	3	(2, 3)


Plot these ordered pairs and draw a line through them. Note that the ordered pair for any point on this line is a solution of y = x + 1. The line is a complete graph of the function.

СНЕСК	It appears from the graph that $(-2, -1)$ is also a solution. Check this by substitution.	
	y = x + 1	Write the equation.
	−1 <u>≟</u> −2 + 1	Replace x with -2 and y with $-$
	$-1 = -1 \checkmark$	Simplify.



1.

A linear equation is one of many ways to represent a function.



Check for Understanding

Concept Check **1.** Explain why a linear equation has infinitely many solutions.

2. OPEN ENDED Write a linear equation that has (-2, 4) as a solution.

CONTENTS

Guided Practice **3.** Copy and complete the table. Use the results to write four solutions of y = x + 5. Write the solutions as ordered pairs.

X	<i>x</i> + 5	у
-3	-3 + 5	
-1		
0		
1		

Find four solutions of each equation. Write the solutions as ordered pairs.

4. y = x + 8 **5.** y = 4x **6.** y = 2x - 7 **7.** -5x + y = 6

Graph each equation by plotting ordered pairs.

8. y = x + 3 9. y = 2x - 1 10. x + y = 5

Application 11. SCIENCE The distance *y* in miles that light travels in *x* seconds is given by y = 186,000x. Find two solutions of this equation and describe what they mean.

Practice and Apply

Homework Help			
For Exercises	See Examples		
12-25	1		
26-29	2		
30-41	3		

Copy and complete each table. Use the results to write four solutions of the given equation. Write the solutions as ordered pairs.

12. $y = x - 9$				
	x	<i>x</i> – 9	У	
	-1	-1 - 9		
	0			
	4			
	7			

13. y = 2x + 6

Find four solutions of each equation. Write the solutions as ordered pairs.

14. $y = x + 2$	15. $y = x - 7$	16. $y = 3x$	17. $y = -5x$
18. $y = 2x - 3$	19. $y = 3x + 1$	20. $x + y = 9$	21. $x + y = -6$
22. $4x + y = 2$	23. $3x - y = 10$	24. $y = 8$	25. $x = -1$

MEASUREMENT The equation y = 0.62x describes the approximate number of miles y in x kilometers.

- **26.** Describe what the solution (8, 4.96) means.
- 27. About how many miles is a 10-kilometer race?

HEALTH During a workout, a target heart rate y in beats per minute is represented by y = 0.7(220 - x), where x is a person's age.

- 28. Compare target heart rates of people 20 years old and 50 years old.
- **29.** In which quadrant(s) would the graph of y = 0.7(220 x) make sense? Explain your reasoning.

Graph each equation by plotting ordered pairs.

30. $y = x + 2$	31. $y = x + 5$	32. $y = x - 4$	33. $y = -x - 6$
34. $y = -2x + 2$	35. $y = 3x - 4$	36. $x + y = 1$	37. $x - y = 6$
38. $2x + y = 5$	39. $3x - y = 7$	40. $x = 2$	41. $y = -3$


GEOMETRY For Exercises 42–44, use the following information.

The formula for the perimeter of a square with sides *s* units long is P = 4s. **42.** Find three ordered pairs that satisfy this condition.


- **43.** Draw the graph that contains these points.
- 44. Why do negative values of *s* make no sense?




Determine whether each relation or equation is linear. Explain.



48. 3x + y = 20







51. CRITICAL THINKING Compare and contrast the functions shown in the tables. (*Hint:* Compare the change in values for each column.)

x	у	X	y
-1	-2	-1	1
0	0	0	0
1	2	1	1
2	4	2	4

52. WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How can linear equations represent a function?

Include the following in your answer:

- a description of four ways that you can represent a function, and
- an example of a linear equation that could be used to determine the cost of *x* pounds of bananas that are \$0.49 per pound.
- **53.** Identify the equation that represents the data in the table.

 (A) y = x + 5 (B) y = -3x + 5

 (C) y = -5x + 1 (D) y = x + 13

- 54. The graph of 2x − y = 4 goes through which pair of points?
 A P(-2, -3), Q(0, 2) B P(-2, -1), Q(2, -3)
 - (1, 2, 3), Q(0, 2) (1, 2, 1), Q(2, 3)
 - \bigcirc P(1, -2), Q(3, 2) \bigcirc P(-3, 2), Q(0, -4)

Maintain Your Skills

Standardized

Test Practice

Mixed Review Determine whether each relation is a function. Explain. (Lesson 8-1)

55. {(2, 3), (3, 4), (4, 5), (5, 6)} **57.** {(11, 8), (13, -2), (11, 21)} **56.** {(0, 6), (-3, 9), (4, 9), (-2, 1)} **58.** {(-0.1, 5), (0, 10), (-0.1, -5)}

Solve each inequality and check your solution. Graph the solution on a number line. (Lesson 7-6)

59.
$$3x + 4 < 16$$

60. $9 - 2d \le 23$

61. Evaluate $a \div b$ if $a = \frac{4}{7}$ and $b = \frac{2}{3}$. (Lesson 5-4)

Getting Ready for
the Next LessonPREREQUISITE SKILLIn each equation, find the value of y when x = 0.
(To review substitution, see Lesson 1-5.)62. y = 5x - 363. -x + y = 3

CONTENTS

64. x + 2y = 12

63. -x + y = 3**65.** 4x - 5y = -20



Lesson 8-2 Linear Equations in Two Variables 379

X	У
-2	11
0	5
1	2
3	-4

Reading Mathematics

Language of Functions

Equations that are functions can be written in a form called *functional notation*, as shown below.

equation

functional notation

y = 4x + 10

f(x) = 4x + 10Read f(x) as f of x.

So, f(x) is simply another name for y. Letters other than f are also used for names of functions. For example, g(x) = 2x and h(x) = -x + 6 are also written in functional notation.

In a function, x represents the domain values, and f(x) represents the range values.

range domain $\downarrow \qquad \downarrow$ f(x) = 4x + 10

f(3) represents the element in the range that corresponds to the element 3 in the domain. To find f(3), substitute 3 for x in the function and simplify.

Read
$$f(3)$$
 as
 $f \text{ of } 3$.
 $f(x) = 4x + 10$
 $f(3) = 4(3) + 10$
 $f(3) = 12 + 10 \text{ or}$

Write the function. Replace *x* with 3. 22 Simplify.

So, the functional value of *f* for x = 3 is 22.

Reading to Learn

- **1. RESEARCH** Use the Internet or a dictionary to find the everyday meaning of the word *function*. Write a sentence describing how the everyday meaning relates to the mathematical meaning.
- **2.** Write your own rule for remembering how the domain and the range are represented using functional notation.
- **3.** Copy and complete the table below.

x	f(x)=3x+5	<i>f</i> (<i>x</i>)
0	f(0) = 3(0) + 5	
1		
2		
3		

4. If f(x) = 4x - 1, find each value.

a.
$$f(2)$$
 b. $f(-3)$ **c.** $f(\frac{1}{2})$

5. Find the value of *x* if f(x) = -2x + 5 and the value of f(x) is -7.



Graphing Linear Equations Using Intercepts

What You'll Learn

- Find the *x* and *y*-intercepts of graphs.
- Graph linear equations using the *x* and *y*-intercepts.
- Vocabulary

8-3


- x-intercept
- y-intercept

can intercepts be used to represent How real-life information?

The relationship between the temperature in degrees Fahrenheit F and the temperature in degrees Celsius *C* is given by the equation

 $F = \frac{9}{5}C + 32$. This equation is graphed at the right.


a. Write the ordered pair for the point where the graph intersects the *y*-axis. What does this point represent?



b. Write the ordered pair for the point where the graph intersects the *x*-axis. What does this point represent?


FIND INTERCEPTS The *x*-intercept is the *x*-coordinate of a point where a graph crosses the *x*-axis. The *y*-coordinate of this point is 0.

The *y*-intercept is the *y*-coordinate of a point where a graph crosses the *y*-axis. The *x*-coordinate of this point is 0.




Example 1 Find Intercepts From Graphs

State the *x*-intercept and the *y*-intercept of each line.



The graph crosses the *x*-axis at (4, 0). The *x*-intercept is 4. The graph crosses the *y*-axis at (0, -2). The *y*-intercept is -2.



The graph crosses the *x*-axis at (3, 0). The *x*-intercept is 3. The graph does not cross the *y*-axis. There is no *y*-intercept.

Oncept Check A graph passes through a point at (0, -10). Is -10 an x-intercept or a y-intercept?

CONTENTS

Reading Math

Intercept

Everyday Meaning: to interrupt or cut off

Math Meaning: the point where a coordinate axis crosses a line

You can also find the *x*-intercept and the *y*-intercept from an equation of a line.



• To find the y-intercept, let x = 0 in the equation and solve for y.

Example 2) Find Intercepts from Equations

Find the *x*-intercept and the *y*-intercept for the graph of y = x - 6.

To find the *x*-intercept, let y = 0.

y = x - 6 Write the equation.

0 = x - 6 Replace *y* with 0.

6 = x Simplify.

The *x*-intercept is 6. So, the graph crosses the *x*-axis at (6, 0).

To find the *y*-intercept, let x = 0.


y = x - 6 Write the equation. y = 0 - 6 Replace *x* with 0.

y = -6 Simplify.

The *y*-intercept is -6. So, the graph crosses the *y*-axis at (0, -6).

GRAPH EQUATIONS You can use the *x*- and *y*-intercepts to graph equations of lines.

In Example 2, we determined that the graph of y = x - 6 passes through (6, 0) and (0, -6). To draw the graph, plot these points and draw a line through them.



Example 3 Use Intercepts to Graph Equations

Graph x + 2y = 4 using the *x*- and *y*-intercepts.

Step 1

Find the *x*-intercept.

x + 2y = 4 Write the equation. x + 2(0) = 4 Let y = 0. x = 4 Simplify.

The *x*-intercept is 4, so the graph passes through (4, 0).

Step 3

Graph the points at (4, 0) and (0, 2) and draw a line through them.


CHECK Choose some other point on the line and determine whether its ordered pair is a solution of x + 2y = 4.

Step 2

Find the *y*-intercept.

- x + 2y = 4 Write the equation.
- 0 + 2y = 4 Let x = 0.
 - y = 2 Divide each side by 2.

The *y*-intercept is 2, so the graph passes through (0, 2).



Study Tip

Graphing Shortcuts

The ordered pairs of any two solutions can be used to graph a linear equation. However, it is often easiest to find the intercepts.



More About.



Earth Science

The temperature of the air is about 3°F cooler for every 1000 feet increase in altitude.

Source: www.hot-air-balloons.com

Example 4 Intercepts of Real-World Data

EARTH SCIENCE Suppose you take a hot-air balloon ride on a day when the temperature is 24°C at sea level. The equation y = -6.6x + 24represents the temperature at *x* kilometers above sea level.

a. Use the intercepts to graph the equation.

Step 1 Find the *x*-intercept. y = -6.6x + 24Write the equation. 0 = -6.6x + 24Replace y with 0. 0 - 24 = -6.6x + 24 - 24 Subtract 24 from each side. $\frac{-24}{-6.6} = \frac{-6.6x}{-6.6}$ Divide each side by -6.6. $3.6 \approx x$ The *x*-intercept is approximately 3.6.


Step 2 Find the *y*-intercept.

y = -6.6x + 24Write the equation. y = -6.6(0) + 24 Replace x with 0. y = 24The *y*-intercept is 24.

Step 3 Plot the points with coordinates (3.6, 0) and (0, 24). Then draw a line through the points.

b. Describe what the intercepts mean.

The *x*-intercept 3.6 means that when the hot-air balloon is



3.6 kilometers above sea level, the temperature is 0°C. The *y*-intercept 24 means that the temperature at sea level is 24°C.

Some linear equations have just one variable. Their graphs are horizontal or vertical lines.

Example 5 Horizontal and Vertical Lines

Graph each equation using the *x*- and *y*-intercepts.

a. y = 3

Reading Math • y = 3 can be read


• x = -2 can be read for all y, x = -2.


for all x, y = 3.

Note that y = 3 is the same as 0x + y = 3. The *y*-intercept is 3, and there is no *x*-intercept.

ONTENTS

b. x = -2Note that x = -2 is the same as x + 0y = -2. The x-intercept is -2, and there is no *y*-intercept.






Lesson 8-3 Graphing Linear Equations Using Intercepts 383


Check for Understanding

- Concept Check **1.** Explain how to find the *x*- and *y*-intercepts of a line given its equation.
 - **2. OPEN ENDED** Sketch the graph of a function whose *x* and *y*-intercepts are both negative. Label the intercepts.

4.

Guided Practice State the *x*-intercept and the *y*-intercept of each line.





Find the *x*-intercept and the *y*-intercept for the graph of each equation. 5. y =

$$= x + 4$$
 6. $y = 7$ 7. $2x + 3y = 6$

Graph each equation using the *x*- and *y*-intercepts.


9. x - 2y = 68. y = x + 1**10.** x = -1


Application **11. BUSINESS** A lawn mowing service charges a base fee of \$3, plus \$6 per hour for labor. This can be represented by y = 6x + 3, where y is the total cost and *x* is the number of hours. Graph this equation and explain what the *y*-intercept represents.


Practice and Apply


ork Help
See Examples
1
3, 5 4

State the *x*-intercept and the *y*-intercept of each line.









Find the *x*-intercept and the *y*-intercept for the graph of each equation.

17. y = x + 5**16.** y = x - 1**18.** x = 9**19.** y + 4 = 0**20.** y = 2x + 10**21.** x - 2y = 8**24.** 6x + 7y = 12**22.** y = -3x - 12**23.** 4x + 5y = 20



Graph each equation using the *x*- and *y*-intercepts.

25. $y = x + 2$	26. $y = x - 3$	27. $x + y = 4$
28. $y = 5x + 5$	29. $y = -2x + 4$	30. $x + 2y = -6$
31. $y = -2$	32. $x - 3 = 0$	33. $3x + 6y = 18$

- **34. CATERING** For a luncheon, a caterer charges \$8 per person, plus a setup fee of \$24. The total cost of the luncheon *y* can be represented by y = 8x + 24, where *x* is the number of people. Graph the equation and explain what the *y*-intercept represents.
- **35. MONEY** Jasmine has \$18 to buy books at the library used book sale. Paperback books cost \$3 each. The equation y = 18 - 3x represents the amount of money she has left over if she buys *x* paperback books. Graph the equation and describe what the intercepts represent.
- **36. GEOMETRY** The perimeter of a rectangle is 50 centimeters. This can be given by the equation $50 = 2\ell + 2w$, where ℓ is the length and w is the width. Name the *x* and *y*-intercepts of the equation and explain what they mean.
- **37. CRITICAL THINKING** Explain why you cannot graph y = 2x by using intercepts only. Then draw the graph.
- **38.** WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How can intercepts be used to represent real-life information?

Include the following in your answer:

- a graph showing a decrease in temperature, with the *x*-axis representing time and the *y*-axis representing temperature, and
- an explanation of what the intercepts mean.



- **39.** What is the *x*-intercept of the graph of y = 8x 32? (A) -4 (B) 4 (C) -32 (D) 32
- **40.** The graph of which equation does *not* have a *y*-intercept of 3? (A) 2x + 3y = 9 (B) 4x + y = 3 (C) x + 3y = 6 (D) x - 2y = -6

Maintain Your Skills

Mixed Review	Find four solutions of each equation. (Lesson 8-2)		
	41. $y = 2x + 7$	42. $y = -3x + 1$	43. $4x - y = -5$
	Determine whether each 44. {(2, 12), (4, -5), (-3, 45. {(-4.2, 17), (-4.3, 16)		(Lesson 8-1)
	Solve each inequality. 46. <i>y</i> + 3 < 5		48. $7 \le x + 8$
	49. Express 0.028 as a po	ercent. (Lesson 6-4)	
the Next Lesson		Subtract. (To review subtract) 15 - 31 5226 -	Example 1 (-26) 53. $9 - (-16)$

CONTENTS

www.pre-alg.com/self_check_quiz

Lesson 8-3 Graphing Linear Equations Using Intercepts 385



Algebra Activity


lt's All Downhill


The steepness, or *slope*, of a hill can be described by a ratio.

 $slope = \frac{vertical change}{horizontal change} \leftarrow \frac{height}{\leftarrow length}$

Collect the Data

- Step 1 Use posterboard or a wooden board, tape, and three or more books to make a "hill."
- **Step 2** Measure the height *y* and length *x* of the hill to the nearest $\frac{1}{2}$ inch or $\frac{1}{4}$ inch. Record the measurements in a table like the one below.





Hill	Height <i>y</i> (in.)	Length <i>x</i> (in.)	Car Distance (in.)	Slope $\frac{y}{x}$
1				
2				
3				

- Step 3 Place a toy car at the top of the hill and let it roll down. Measure the distance from the bottom of the ramp to the back of the car when it stops. Record the distance in the table.
- **Step 4** For the second hill, increase the height by adding one or two more books. Roll the car down and measure the distance it rolls. Record the dimensions of the hill and the distance in the table.
- **Step 5** Take away two or three books so that hill 3 has the least height. Roll the car down and measure the distance it rolls. Record the dimensions of the hill and the distance in the table.
- **Step 6** Find the slopes of hills 1, 2, and 3 and record the values in the table.

Analyze the Data

- 1. How did the slope change when the height increased and the length decreased?
- 2. How did the slope change when the height decreased and the length increased?
- **3. MAKE A CONJECTURE** On which hill would a toy car roll the farthest—a hill with slope $\frac{18}{25}$ or $\frac{25}{18}$? Explain by describing the relationship between slope and distance traveled.

Extend the Activity

4. Make a fourth hill. Find its slope and predict the distance a toy car will go when it rolls down the hill. Test your prediction by rolling a car down the hill.



8-4 Slope



• Find the slope of a line.

Vocabulary

slope

How is slope used to describe roller coasters?

Some roller coasters can make you feel heavier than a shuttle astronaut feels on liftoff. This is because the speed and steepness of the hills increase the effects of gravity.


- **a.** Use the roller coaster to write the ratio $\frac{\text{height}}{\text{length}}$ in simplest form.
- **b.** Find the ratio of a hill that has the same length but is 14 feet higher than the hill above. Is this hill steeper or less steep than the original?

SLOPE Slope describes the steepness of a line. It is the ratio of the *rise*, or the vertical change, to the *run*, or the horizontal change.

slope =
$$\frac{\text{rise}}{\text{run}} \leftarrow \text{vertical change}$$

= $\frac{4}{3}$






Note that the slope is the same for any two points on a straight line.

Example 1) Use Rise and Run to Find Slope

Find the slope of a road that rises 25 feet for every horizontal change of 80 feet.

slope =
$$\frac{\text{rise}}{\text{run}}$$
 Write the formula.
= $\frac{25 \text{ ft}}{80 \text{ ft}}$ rise = 25 ft, run = 80 ft
= $\frac{5}{16}$ Simplify.

The slope of the road is $\frac{5}{16}$ or 0.3125.




Concept Check

What is the slope of a ramp that rises 2 inches for every horizontal change of 24 inches?




You can also find the slope by using the coordinates of any two points on a line.



The slope of a line may be positive, negative, zero, or undefined.


Example 2 Positive Slope


Find the slope of the line.



Study Tip


the same order. **Check:** In Example 2, let $(x_1, y_1) = (5, 3)$ and let $(x_2, y_2) = (2, 2)$, then find the slope.





Example 3 Negative Slope


Find the slope of the line.



 $m = \frac{y_2 - y_1}{x_2 - x_1}$ Definition of slope $m = \frac{-3 - 1}{0 - (-2)} \quad (x_1, y_1) = (-2, 1),$ $m = \frac{-4}{2} \text{ or } -2$ The slope is -2.

Example 👍 Zero Slope

Find the slope of the line.





Example 5 Undefined Slope

Find the slope of the line. $m = \frac{y_2 - y_1}{x_2 - x_1}$ Define $m = \frac{0 - 6}{-5 - (-5)}$ (x₁)

Definition of slope

 $m = \frac{0-6}{-5-(-5)} \quad \begin{array}{l} (x_1, y_1) = (-5, 6), \\ (x_2, y_2) = (-5, 0) \end{array}$ $m = \underbrace{-6}_{0}$

Division by 0 is undefined. So, the slope is undefined.

The steepness of real-world inclines can be compared by using slope.



Test-Taking Tip

Make a Drawing

Whenever possible, make a drawing that displays the given information. Then use the drawing to estimate the answer.

Example 6 Compare Slopes

x

ο

Multiple-Choice Test Item

(-5, 0)

There are two major hills on a hiking trail. The first hill rises 6 feet vertically for every 42-foot run. The second hill rises 10 feet vertically for every 98-foot run. Which statement is true?

- (A) The first hill is steeper than the second hill.
- **B** The second hill is steeper than the first hill.
- C Both hills have the same steepness.
- D You cannot determine which hill is steeper.

Read the Test Item To compare steepness of the hills, find the slopes.

Solve the Test Item		
first hill	second hill	
$slope = \frac{rise}{run}$	slope = $\frac{\text{rise}}{\text{run}}$	
$=$ $\frac{6 \text{ ft}}{42 \text{ ft}}$ rise = 6 ft, run = 42 ft	$=\frac{10 \text{ ft}}{98 \text{ ft}}$ rise = 10 ft, run = 98 ft	
$=\frac{1}{7}$ or about 0.14	$=\frac{5}{49}$ or about 0.10	
0.14 > 0.10, so the first hill is steeper than the second. The answer is A.		

Check for Understanding

Concept Check 1. Describe your own method for remembering whether a horizontal line has 0 slope or an undefined slope.

CONTENTS

- **2. OPEN ENDED** Draw a line whose slope is $-\frac{1}{4}$.
- **3. FIND THE ERROR** Mike and Chloe are finding the slope of the line that passes through Q(-2, 8) and R(11, 7).




Who is correct? Explain your reasoning.




Guided Practice

4. Find the slope of a line that decreases 24 centimeters vertically for every 30-centimeter horizontal increase.

Find the slope of each line.





Find the slope of the line that passes through each pair of points.

- 7. A(3, 4), B(4, 6)
- **9.** P(7, -1), Q(9, -1)
- **10.** C(-6, -4), D(-8, -3)



- 11. Which bike ramp is the steepest?
 - **A** 1
 - **B** 2
 - **C** 3 **D** 4


Bike Ramp	Height (ft)	Length (ft)
1	6	8
2	10	4
3	5	3
4	8	4

8. *J*(−8, 0), *K*(−8, 10)


Practice and Apply


Homework Help		
For	See	
Exercises	Examples	
12, 13	1	
14–25	2–5	
26, 27	6	
Extra Practice See page 742.		


- **12. CARPENTRY** In a stairway, the slope of the handrail is the ratio of the riser to the tread. If the tread is 12 inches long and the riser is 8 inches long, find the slope.
- **13. HOME REPAIR** The bottom of a ladder is placed 4 feet away from a house and it reaches a height of 16 feet on the side of the house. What is the slope of the ladder?



Find the slope of each line.












Find the slope of the line that passes through each pair of points.

19. Y(4, -3), Z(5, -2)

18. A(1, -3), B(5, 4)

- **21.** J(-3, 6), K(-5, 9)**22.** N(2, 6), P(-1, 6)
- **24.** *F*(0, 1.6), *G*(0.5, 2.1)


25. $W(3\frac{1}{2}, 5\frac{1}{4}), X(2\frac{1}{2}, 6)$



20. D(5, -1), E(-3, 4)

ENTERTAINMENT For Exercises 26 and 27, use the graph.

- 26. Which section of the graph shows the greatest increase in attendance? Describe the slope.
- **27.** What happened to the attendance at the water park from 1996–1997? Describe the slope of this part of the graph.
- **28. CRITICAL THINKING** The graph of a line goes through the origin (0, 0) and C(a, b). State the slope of this line and explain how it relates to the coordinates of point *C*.




Source: Amusement Business

29. WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How is slope used to describe roller coasters?

Include the following in your answer:

- a description of slope, and
- an explanation of how changes in rise or run affect the steepness of a roller coaster.



(A)(B)**31.** What is the slope of line *LM* given L(9, -2) and M(3, -5)? \mathbb{B} $-\frac{1}{2}$ (A) $\frac{1}{2}$ $\bigcirc -\frac{1}{3}$ C 5

Maintain Your Skills

Mixed Review Find the *x*-intercept and the *y*-intercept for the graph of each equation. (Lesson 8-3) 32. y = x + 8**33.** y = -3x + 634. 4x - y = 12Find four solutions of each equation. Write the solutions as ordered pairs. (Lesson 8-2) **36.** y = -3x37. x + y = 7**35.** y = 2x + 5Getting Ready for **PREREQUISITE SKILL** Rewrite y = kx by replacing k with each given value. the Next Lesson (To review **substitution**, see Lesson 1-3.) **41.** $k = \frac{1}{3}$ **38.** *k* = 5 **39.** k = -2**40.** k = 0.25www.pre-alg.com/self_check_quiz Lesson 8-4 Slope 391

CONTENTS



Algebra Activity

Slope and Rate of Change

In this activity, you will investigate the relationship between slope and rate of change.

Collect the Data

- **Step 1** On grid paper, make a coordinate grid of the first quadrant. Label the *x*-axis *Number of Measures* and label the *y*-axis *Height of Water (cm)*.
- **Step 2** Pour water into a drinking glass or a beaker so that it is more than half full.
- **Step 3** Use a ruler to find the initial height of the water and record the measurement in a table.
- **Step 4** Remove a tablespoon of water from the glass or beaker and record the new height in your table.
- Step 5 Repeat Step 4 so that you have six measures.
- **Step 6** Fill the glass or beaker again so that it has the same initial height as in Step 3.
- **Step 7** Repeat Steps 4 and 5, using a $\frac{1}{8}$ -cup measuring cup.



Analyze the Data


- **1.** On the coordinate grid, graph the ordered pairs (number of measures, height of water) for each set of data. Draw a line through each set of points. Label the lines 1 and 2, respectively.
- 2. Compare the steepness of the two graphs. Which has a steeper slope?
- 3. What does the height of the water depend on?
- 4. What happens as the number of measures increases?
- **5.** Did you empty the glass at a faster rate using a tablespoon or a $\frac{1}{8}$ -cup? Explain.

Make a Conjecture

- **6.** Describe the relationship between slope and the rate at which the glass was emptied.
- 7. What would a graph look like if you emptied a glass using a teaspoon? a $\frac{1}{4}$ cup? Explain.

Extend the Activity

8. Water is emptied at a constant rate from containers shaped like the ones shown below. Draw a graph of the water level in each of the containers as a function of time.



8-5 Rate of Change

What You'll Learn

- Find rates of change.
- Solve problems involving direct variation.

How are slope and speed related?

A car traveling 55 miles per hour goes 110 miles in 2 hours, 165 miles in 3 hours, and 220 miles in 4 hours,

as shown.

- **a.** For every 1-hour increase in time, what is the change in distance?
- **b.** Find the slope of the line.
- **c. Make a conjecture** about the relationship between slope of the line and speed of the car.

Travel Time у 350 300 Distance (mi) 250 (4, 220) 200 (3, 165) 150 100 (2, 110)-50 0 1 2345 6 Time (h)

RATE OF CHANGE A change in one quantity with respect to another quantity is called the **rate of change**. Rates of change can be described using slope.

slope =
$$\frac{\text{change in } y}{\text{change in } x}$$

= $\frac{55 \text{ mi}}{1 \text{ h}}$ or 55 mi/h



Each time *x* increases by 1, *y* increases by 55.

The slope of the line is the speed of the car.

You can find rates of change from an equation, a table of values, or a graph.

Example 1 Find a Rate of Change **Satellite Radio TECHNOLOGY** The graph shows the Total Subscribers (millions) expected growth of subscribers to satellite 25 15.2 radio for the first five years that it is 20 introduced. Find the expected rate of 15 21.0 0.8 3.4 10 change from Year 2 to Year 5. 5 X rate of change = slope 23 4 5 0 $=\frac{y_2 - y_1}{x_2 - x_1}$ Definition of slope Year $=\frac{21.0-3.4}{5-2}$ ← change in subscribers Source: The Yankee Group \leftarrow change in time ≈ 5.9 Simplify.

So, the expected rate of change in satellite radio subscribers is an increase of about 5.9 million people per year.



• rate of change

- direct variation
- constant of variation

The steepness of slopes is also important in describing rates of change.

Example 2 Compare Rates of Change

GEOMETRY The table shows how the perimeters of an equilateral triangle and a square change as side lengths increase. Compare the rates of change.

triangle rate of change = $\frac{\text{change in } y}{\text{change in } x}$


Side	Perimeter y	
Length x	Triangle	Square
0	0	0
2	6	8
4	12	16

 $=\frac{6}{2}$ or 3 For each side length increase of 2, the perimeter increases by 6.

square rate of change = $\frac{\text{change in } y}{\text{change in } x}$

 $= \frac{8}{2} \text{ or } 4$ For each side length increase of 2, the perimeter increases by 8.

The perimeter of a square increases at a faster rate than the perimeter of a triangle. A steeper slope on the graph indicates a greater rate of change for the square.



DIRECT VARIATION A special type of linear equation that describes rate of change is called a **direct variation**. The graph of a direct variation always passes through the origin and represents a proportional situation.

Key Con	cept		Direct Variation
• Words	A direct variation is a relationship such that as <i>x</i> increases in value, <i>y</i> increases or decreases at a constant rate <i>k</i> .	• Model	y = 2x
SymbolsExample	$y = kx$, where $k \neq 0$ y = 2x		

In the equation y = kx, k is called the **constant of variation**. It is the slope, or rate of change. We say that *y* varies directly with *x*.

Example 3 Write a Direct Variation Equation

Suppose *y* varies directly with *x* and y = -6 when x = 2. Write an equation relating *x* and *y*.

Step 1 Fi	nd the value of k .	Step 2 U	Use k to write an equation.
y = kx	Direct variation	$y = \mathbf{k}x$	Direct variation
-6 = k(2)	Replace y with -6 and x with 2.	y = -3x	Replace k with -3 .
-3 = k	Simplify.		

So, a direct variation equation that relates *x* and *y* is y = -3x.

Study Tip

Slopes

- Positive slopes represent a rate of increase.
- Negative slopes represent a rate of decrease.
- Steeper slopes represent greater rates of change.
- Less steep slopes represent a smaller rate of change.





The direct variation y = kx can be written as $k = \frac{y}{x}$. In this form, you can see that the ratio of *y* to *x* is the same for any corresponding values of *y* and *x*.

Example 4 Use Direct Variation to Solve Problems

• **POOLS** The height of the water as a pool is being filled is recorded in the table below.

- a. Write an equation that relates time and height.
 - **Step 1** Find the ratio of *y* to *x* for each recorded time. These are shown in the third column of the table. The ratios are approximately equal to 0.4.

Time (min)	Height (in.)	$\nu - \gamma$
x	У	$k=\frac{y}{x}$
5	2.0	0.40
10	3.75	0.38
15	5.5	0.37
20	7.5	0.38
he time <i>x</i>	To the r tenth, k	

So, a direct variation equation that relates the time *x* and the height of the water *y* is y = 0.4x.

Direct variation

b. Predict how long it will take to fill the pool to a height of 48 inches.

y = 0.4x Write the direct variation equation.

y = 0.4x Replace k with 0.4.

48 = 0.4x Replace *y* with 48.

Step 2 Write an equation.

 $y = \mathbf{k}x$

120 = x Divide each side by 0.4.

It will take about 120 minutes, or 2 hours to fill the pool.

Check for Understanding


Concept Check 1. Describe how slope, rate of change, and constant of variation are related by using y = 60x as a model.

- **2. OPEN ENDED** Draw a line that shows a 2-unit increase in *y* for every 1-unit increase in *x*. State the rate of change.
- **3. FIND THE ERROR** Justin and Carlos are determining how to find rate of change from the equation y = 4x + 5.

Justin	Carlos
The rate of change is the slope of its graph.	There is no rate of change because the equation is not a direct variation.

Who is correct? Explain your reasoning.

Guided Practice Find the rate of change for each linear function.



ONTENTS



Pools .

The Johnson Space Center in Houston, Texas, has a 6.2 million gallon pool used to train astronauts for space flight. It is 202 feet long, 102 feet wide, and 40 feet deep. **Source:** www.jsc.nasa.gov

Suppose *y* varies directly with *x*. Write an equation relating *x* and *y*.

6. y = 5 when x = -15

- 7. y = 24 when x = 4
- **Application** 8. PHYSICAL SCIENCE The length of a spring varies directly with the amount of weight attached to it. When a 25-gram weight is attached, a spring stretches to 8 centimeters.
 - **a.** Write a direct variation equation relating the weight *x* and the length *y*.


10.

b. Estimate the length of a spring that has a 60-gram weight attached.


Practice and Apply

Homework Help		
For Exercises	See Examples	
9-12	1	
13	2	
14, 15	3	
16, 17	4	
Extra Practice See page 743.		

Find the rate of change for each linear function.




11.	Time (min)	Temperature (°F)
	x	У
	0	58
	1	56
	2	54
	3	52



12.		
12.	Time (h)	Distance (mi)
	x	У
	0.0	0
	0.5	25
	1.5	75
	3.0	150

13. ENDANGERED SPECIES The graph shows the populations of California condors in the wild and in captivity.



Source: Los Angeles Zoo

Write several sentences that describe how the populations have changed since 1966. Include the rate of change for several key intervals.

Online Research Data Update What has happened to the condor population since 1996? Visit www.pre-alg.com/data_update to learn more.

Suppose *y* varies directly with *x*. Write an equation relating *x* and *y*.

14. y = 8 when x = 4**15.** y = -30 when x = 6**16.** y = 9 when x = 24**17.** y = 7.5 when x = 10



- **18. FOOD COSTS** The cost of cheese varies directly with the number of pounds bought. If 2 pounds cost \$8.40, find the cost of 3.5 pounds.
- **19. CONVERTING MEASUREMENTS** The number of centimeters in a measure varies directly as the number of inches. Write a direct variation equation that could be used to convert inches to centimeters.
- **20. CRITICAL THINKING** Describe the rate of change for a graph that is a horizontal line and a graph that is a vertical line.

Measure in Inches <i>x</i>	Measure in Centimeters <i>y</i>
1	2.54
2	5.08
3	7.62

21. WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

B negative slope.

How are slope and speed related?

Include the following in your answer:

- a drawing of a graph showing distance versus time, and
- an explanation of how slope changes when speed changes.



- 22. A graph showing an increase in sales over time would have a(n)
 - A positive slope.
 - \bigcirc undefined slope. \bigcirc slope of 0.
- 23. Choose an equation that does *not* represent a direct variation.

(A) y = x (B) y = 1 (C) y = -5x (D) y = 0.9x

Maintain Your Skills

Mixed ReviewFind the slope of the line that passes through each pair of points. (Lesson 8-4)24. Q(-4, 4), R(3, 5)25. A(2, 6), B(-1, 0)

 Graph each equation using the *x*- and *y*-intercepts.
 (Lesson 8-3)

 26. y = x + 5 27. y = -x + 1 28. 2x + y = 4

29. Estimate 20% of 72. (Lesson 6-6)

Getting Ready for
the Next LessonPREREQUISITE SKILL
(To review solving equations for a variable, see Lesson 8-2.)30. x + y = 631. 3x + y = 132. -x + 5y = 10

Practice Quiz 1

Determine whether each relation is a function. Explain. (Lesson 8-1)		
1. {(0, 5), (1, 2), (1, -3), (2, 4)}	2. {(-6, 3.5), (-3)	3, 4.0), (0, 4.5), (3, 5.0)}
Graph each equation using ordered pairs. (Lesson 8-2)		
3. $y = x - 4$	4. $y = 2x + 3$	
Find the <i>x</i> -intercept and the <i>y</i> -in	tercept for the graph of each equa	ation. (Lesson 8-3)
5. $y = x + 9$	6. $x + 2y = 12$	7. $4x - 5y = 20$
Find the slope of the line that passes through each pair of points. (Lessons 8-4 and 8-5)		
8. (1, 4), (0, 0)	9. (-2, 4), (3, -6)	10. (0, 2), (5, 2)

CONTENTS

Lesson 8-5 Rate of Change 397

Lessons 8-1 through 8-

8-6 Slope-Intercept Form

What You'll Learn

- Determine slopes and *y*-intercepts of lines.
- Graph linear equations using the slope and *y*-intercept.

Vocabulary

slope-intercept form

can knowing the slope and y-intercept help you graph an equation?

Copy the table.


How

a. On the same coordinate plane, use ordered pairs or intercepts to graph each equation in a different color.

Equation	Slope	y-intercept
y=2x+1		
$y = \frac{1}{3}x - 3$		
y = -2x + 1		

- **b.** Find the slope and the *y*-intercept of each line. Complete the table.
- **c.** Compare each equation with the value of its slope and *y*-intercept. What do you notice?

SLOPE AND *y***-INTERCEPT**



All the equations above are written in the form y = mx + b, where *m* is the slope and *b* is the *y*-intercept. This is called **slope-intercept form**.

y = mx + bslope y-intercept

Example 🕕 Find the Slope and y-Intercept

State the slope and the *y*-intercept of the graph of $y = \frac{3}{5}x - 7$. $y = \frac{3}{5}x - 7$ Write the original equation. $y = \frac{3}{5}x + (-7)$ Write the equation in the form y = mx + b. $\uparrow \qquad \uparrow$ y = mx + b $m = \frac{3}{5}, b = -7$ The slope of the graph is $\frac{3}{5}$, and the *y*-intercept is -7.

Concept Check What is the slope of y = 8x + 6?

Study Tip

y = x - 2

Different Forms Both equations below are written in slope-intercept form. y = x + (-2)

398 Chapter 8 Functions and Graphing



Sometimes you must first write an equation in slope-intercept form before finding the slope and *y*-intercept.

Example 2) Write an Equation in Slope-Intercept Form

State the slope and the *y*-intercept of the graph of 5x + y = 3.

5x + y = 3Write the original equation.5x + y - 5x = 3 - 5xSubtract 5x from each side.y = -5x + 3Write the equation in slope-intercept form. \uparrow \uparrow y = mx + bm = -5, b = 3The slope of the graph is -5, and the y-intercept is 3.

GRAPH EQUATIONS You can use the slope-intercept form of an equation to easily graph a line.

Example 3 Graph an Equation

Graph $y = -\frac{1}{2}x - 4$ using the slope and *y*-intercept.


Step 1 Find the slope and *y*-intercept.

slope = $-\frac{1}{2}$ y-intercept = -4

Step 2 Graph the *y*-intercept point at (0, -4).

Step 3 Write the slope $-\frac{1}{2}$ as $\frac{-1}{2}$. Use it to locate a second point on the line.

 $m = \frac{-1}{2} \quad \leftarrow \text{ change in } y: \text{ down 1 unit} \\ \leftarrow \text{ change in } x: \text{ right 2 units}$ Another point on the line is at (2, -5).



Step 4 Draw a line through the two points.

Example 4 Graph an Equation to Solve a Problem

BUSINESS A T-shirt company charges a design fee of \$24 for a pattern and then sells the shirts for \$12 each. The total cost y can be represented by the equation y = 12x + 24, where x represents the number of T-shirts.


a. Graph the equation.

First, find the slope and the *y*-intercept. slope = 12

y-intercept = 24

Plot the point at (0, 24). Then go up 12 and right 1. Connect these points.

b. Describe what the *y*-intercept and the slope represent.



The *y*-intercept 24 represents the design fee. The slope 12 represents the cost per T-shirt, which is the rate of change.



Business Owner •....

Business owners must understand the factors that affect cost and profit. Graphs are a useful way for them to display this information.


🕏 Online Research

For information about a career as a business owner, visit: www.pre-alg.com/ careers



Check for Understanding

- **Concept Check** 1. State the value that tells you how many units to go up or down from the *y*-intercept if the slope of a line is $\frac{a}{b}$.
 - **2. OPEN ENDED** Draw the graph of a line that has a *y*-intercept but no *x*-intercept. What is the slope of the line?
 - **3. FIND THE ERROR** Carmen and Alex are finding the slope and *y*-intercept of x + 2y = 8.



Who is correct? Explain your reasoning.

Guided Practice State the slope and the *y*-intercept for the graph of each equation. 4. y = x + 8 5. x + y = 0 6. x + 3y = 6

Graph each equation using the slope and *y*-intercept.

7. $y = \frac{1}{4}x + 1$ 8. 3x + y = 29. x - 2y = 4

Application BUSINESS Mrs. Allison charges \$25 for a basic cake that serves 12 people. A larger cake costs an additional \$1.50 per serving. The total cost can be given by y = 1.5x + 25, where x represents the number of additional slices. 10. Graph the equation.

11. Explain what the *y*-intercept and the slope represent.

Practice and Apply

State the slope and the <i>y</i> -intercept for the graph of each equation.	
12. $y = x + 2$	13. $y = 2x - 4$
14. $x + y = -3$	15. $2x + y = -3$
16. $5x + 4y = 20$	17. $y = 4$
Graph each line with the given slope	and y-intercept.
18. slope = 3, <i>y</i> -intercept = 1	19. slope = $-\frac{3}{2}$, <i>y</i> -intercept = -1
Graph each equation using the slope	and y-intercept.
20. $y = x + 5$	21. $y = -x + 6$
22. $y = 2x - 3$	23. $y = \frac{3}{4}x + 2$
24. $x + y = -3$	25. $x + y = 0$
26. $-2x + y = -1$	27. $5x + y = -3$
28. $x - 3y = -6$	29. $2x + 3y = 12$
	12. $y = x + 2$ 14. $x + y = -3$ 16. $5x + 4y = 20$ Graph each line with the given slope 18. slope = 3, <i>y</i> -intercept = 1 Graph each equation using the slope 20. $y = x + 5$ 22. $y = 2x - 3$ 24. $x + y = -3$ 26. $-2x + y = -1$

30. 3x + 4y = 12



31. y = -3

More About.

Hang Gliding •

In the summer, hang gliders in the western part of the United States achieve altitudes of 5000 to 10,000 feet and fly for over 100 miles. Source: www.ushga.org



HANG GLIDING For Exercises 32–34, use the following information.

The altitude in feet y of a hang glider who is slowly landing can be given by y = 300 - 50x, where x represents the time in minutes.

- **32.** Graph the equation using the slope and *y*-intercept.
- **33.** State the slope and *y*-intercept of the graph of the equation and describe what they represent.
- **34.** Name the *x*-intercept and describe what it represents.
- **35. CRITICAL THINKING** What is the *x*-intercept of the graph of y = mx + b? Explain how you know.
- 36. WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How can knowing the slope and *y*-intercept help you graph an equation?

Include the following in your answer:

- a description of how the slope-intercept form of an equation gives information, and
- an explanation of how you could write an equation for a line if you know the slope and *y*-intercept.

(B) $y = -\frac{2}{3}x + 2$

(D) $\frac{1}{2}$, 3

37. Which is 2x + 3y = 6 written in slope-intercept form?

(D) $y = \frac{3}{2}x - 2$ **38.** What is the slope and *y*-intercept of the graph of -x + 2y = 6? (A) $-\frac{1}{2}$, 1 **B** 1,6

```
C 1,3
```

Maintain Your Skills

Mixed Review Suppose *y* varies directly with *x*. Write an equation relating *x* and *y* for each pair of values. (Lesson 8-5) **39.** y = -36 when x = 9**40.** y = 5 when x = 25Find the slope of the line that passes through each pair of points. (Lesson 8-4) **42.** J(-2, 5), K(8, 5) **43.** O(2, 4), R(0, -4)**41.** *A*(3, 1), *B*(6, 7) 44. Solve 4(r-3) = 8. (Lesson 7-2) **45.** Six times a number is 28 more than twice the number. Write an equation and find the number. (Lesson 7-1) Getting Ready for PREREQUISITE SKILL Simplify. (To review order of operations, see Lesson 1-2.) the Next Lesson 46. 2(18) - 147. $(-2-4) \div 10$ **49.** 5 - 8(-3)**48.** -1(6) + 8**50.** $(9+6) \div 3$ 51. 3 - (-2)(4)www.pre-alg.com/self_check_quiz



Lesson 8-6 Slope-Intercept Form 401




Graphing Calculator Investigation A FO

Families of Graphs


A graphing calculator is a valuable tool when investigating characteristics of linear functions. Before graphing, you must create a viewing window that shows both the *x*- and *y*-intercepts of the graph of a function.


You can use the standard viewing window [-10, 10] scl: 1 by [-10, 10] scl: 1 or set your own minimum and maximum values for the axes and the scale factor by using the WINDOW option.

You can use a TI-83 Plus graphing calculator to enter several functions and graph them at the same time on the same screen. This is useful when studying a **family of graphs**. A family of linear graphs is related by having the same slope or the same *y*-intercept.




Graph y = 3x - 2 and y = 3x + 4 in the standard viewing window and describe how the graphs are related.





• Enter the equation and graph. **KEYSTROKES:** $Y= 3 (X,T,\theta,n) + 4 (ZOOM) 6$



Step 2 Graph $\gamma = 3x - 2$.

• Enter the function y = 3x - 2 as Y2 with y = 3x + 4 already existing as Y1. **KEYSTROKES:** Y= 3 X,T, θ ,n - 2



www.pre-alg.com/other_calculator_keystrokes

• Graph both functions in the standard viewing window. **KEYSTROKES:** ZOOM 6

The first function graphed is Y1 or y = 3x + 4. The second function graphed is Y2 or y = 3x - 2. Press **TRACE**. Move along each function using the right and left arrow keys. Move from one function to another using the up and down arrow keys. The graphs have the same slope, 3, but different *y*-intercepts at 4 and -2.

Exercises

Graph y = 2x - 5, y = 2x - 1, and y = 2x + 7.

- **1.** Compare and contrast the graphs.
- **2.** How does adding or subtracting a constant *c* from a linear function affect its graph?
- **3.** Write an equation of a line whose graph is parallel to y = 3x 5, but is shifted up 7 units.
- **4.** Write an equation of the line that is parallel to y = 3x 5 and passes through the origin.
- **5.** Four functions with a slope of 1 are graphed in the standard viewing window, as shown at the right. Write an equation for each, beginning with the left-most graph.



Clear all functions from the Y= menu and graph $y = \frac{1}{3}x$, $y = \frac{3}{4}x$, y = x, and y = 4x in the standard viewing window.

- **6.** How does the steepness of a line change as the coefficient for *x* increases?
- **7.** Without graphing, determine whether the graph of y = 0.4x or the graph of y = 1.4x has a steeper slope. Explain.

Clear all functions from the Y= menu and graph y = -4x and y = 4x.

- **8.** How are these two graphs different?
- **9.** How does the sign of the coefficient of *x* affect the slope of a line?
- **10.** Clear Y2. Then with y = -4x as Y1, enter y = -x as Y2 and $y = -\frac{1}{2}x$ as Y3.

Graph the functions and draw the three graphs on grid paper. How does the steepness of the line change as the absolute value of the coefficient of *x* increases?

- **11.** The graphs of y = 3x + 1, $y = \frac{1}{2}x + 1$, and y = -x + 1 are shown at the right. Draw the graphs on the same coordinate grid and label each graph with its equation.
- **12.** Describe the similarities and differences between the graph of y = 2x 3 and the graph of each equation listed below.

3

a. y = 2x + 3

b.
$$y = -2x -$$

c.
$$y = 0.5x + 3$$

13. Write an equation of a line whose graph lies between the graphs of y = -3x and y = -6x.

CONTENTS



8-7 Writing Linear Equations


What You'll Learn

• Write equations given the slope and *y*-intercept, a graph, a table, or two points.

How can you model data with a linear equation?

You can determine the approximate outside temperature by counting the chirps of crickets, as shown in the table.

- **a.** Graph the ordered pairs (chirps, temperature). Draw a line through the points.
- **b.** Find the slope and the *y*-intercept of the line. What do these values represent?



c. Write an equation in the form y = mx + b for the line. Then translate the equation into a sentence.

WRITE EQUATIONS There are many different methods for writing linear equations. If you know the slope and *y*-intercept, you can write the equation of a line by substituting these values in y = mx + b.

Example 🕕 Write Equations From Slope and y-Intercept

Write an equation in slope-intercept form for each line.

- a. slope = 4, *y*-intercept = -8
 - y = mx + b Slope-intercept form
 - y = 4x + (-8) Replace *m* with 4 and *b* with -8.
 - y = 4x 8 Simplify.
- b. slope = 0, *y*-intercept = 5

y = mx + b Slope-intercept form

y = 0x + 5 Replace *m* with 0 and *b* with 5. y = 5 Simplify.

c. slope = $-\frac{1}{2}$, y-intercept = 0 y = mx + b Slope-intercept form $y = -\frac{1}{2}x + 0$ Replace *m* with $-\frac{1}{2}$ and *b* with 0. $y = -\frac{1}{2}x$ Simplify.



You can also write equations from a graph.


Study Tip

Check Equation

To check, choose another point on the line and substitute its coordinates for *x* and *y* in the equation.

Study Tip


Lise a Table Translate the words into a table of values to help clarify the meaning of the slope.



Example 2) Write an Equation From a Graph

Write an equation in slope-intercept form for the line graphed.

The *y*-intercept is 1. From (0, 1), you can go down 3 units and right 1 unit to another point on the line. So, the slope is $\frac{-3}{1}$, or -3. y = mx + b Slope-intercept form y = -3x + 1 Replace *m* with -3 and *b* with 1.



In Lesson 8-3, you explored the relationship between altitude and temperature. You can write an equation for this relationship and use it to make predictions.

Example 3 Write an Equation to Solve a Problem

EARTH SCIENCE On a summer day, the temperature at altitude 0, or sea level, is 30°C. The temperature decreases 2°C for every 305 meters increase in altitude.

a. Write an equation to show the relationship between altitude *x* and temperature *y*.

Words	Temperature decreases 2°C for every 305 meters increase in altitude.

Variables Let x = the altitude and let y = the temperature.

Equations Use $m = \frac{\text{change in } y}{\text{change in } x}$ and y = mx + b.

Step 1

Find the slope *m*.

 $m = \frac{\text{change in } y}{\text{change in } x} \leftarrow \frac{\text{change in }}{\text{change in altitude}}$ $= \frac{-2}{305} \leftarrow \frac{\text{change in }}{\text{change in altitude}} \leftarrow \frac{\text{decrease of } -2^{\circ}\text{C}}{\text{change in altitude}}$ $\approx -0.007 \qquad \text{Simplify.}$

Step 2 Find the *y*-intercept *b*. (x, y) = (altitude, temperature)= (0, b)

When the altitude is 0, or sea level, the temperature is 30° C. So, the *y*-intercept is 30.

Step 3

Write the equation.

y = mx + b Slope-intercept form y = -0.007x + 30 Replace *m* with -0.007 and *b* with 30.

So, the equation that represents this situation is y = -0.007x + 30.

b. Predict the temperature for an altitude of 2000 meters.

CONTENTS

y = -0.007x + 30Write the equation.y = -0.007(2000) + 30Replace x with 2000. $y \approx 16$ Simplify.

So, at an altitude of 2000 meters, the temperature is about 16°C.

Lesson 8-7 Writing Linear Equations 405

You can also write an equation for a line if you know the coordinates of two points on a line.

Example 4 Write an Equation Given Two Points

Write an equation for the line that passes through (-2, 5) and (2, 1). **Step 1** Find the slope *m*.

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$
 Definition of slope
$$m = \frac{5 - 1}{-2 - 2} \text{ or } -1 \qquad (x_1, y_1) = (-2, 5), \\ (x_2, y_2) = (2, 1)$$

Step 2 Find the *y*-intercept *b*. Use the slope and the coordinates of either point.

y = mx + bSlope-intercept form5 = -1(-2) + bReplace (x, y) with (-2, 5) and m with -1.3 = bSimplify.

Step 3 Substitute the slope and *y*-intercept.

y = mx + b	Slope-intercept form
y = -1x + 3	Replace m with -1 and b with 3.
y = -x + 3	Simplify.

Example 5 Write an Equation From a Table

Use the table of values to write an equation in slope-intercept form.

Step 1 Find the slope *m*. Use the coordinates of any two points.

 $m = \frac{y_2 - y_1}{x_2 - x_1}$ Definition of slope

 $m = \frac{-2-6}{5-(-5)}$ or $-\frac{4}{5}$ $(x_1, y_1) = (-5, 6),$ $(x_2, y_2) = (5, -2)$

x	у
-5	6
5	-2
10	-6
15	-10

Study Tip

Alternate Strategy

If a table includes the y-intercept, simply use this value and the slope to write an equation.

	x	y		
	-5	6		
	0	2		
intercept = 2				

y-

- **Step 2** Find the *y*-intercept *b*. Use the slope and the coordinates of any point.
 - y = mx + bSlope-intercept form $6 = -\frac{4}{5}(-5) + b$ Replace (x, y) with (-5, 6) and m with $-\frac{4}{5}$.2 = bSimplify.
- **Step 3** Substitute the slope and *y*-intercept.
- y = mx + bSlope-intercept form $y = -\frac{4}{5}x + 2$ Replace *m* with $-\frac{4}{5}$ and *b* with 2. **CHECK** $y = -\frac{4}{5}x + 2$ Write the equation. $-10 \stackrel{?}{=} -\frac{4}{5}(15) + 2$ Replace (*x*, *y*) with the coordinates of another point, (15, -10). $-10 = -10 \checkmark$ Simplify.





Check for Understanding

- *Concept Check* **1.** Explain how to write the equation of a line if you are given a graph.
 - **2. OPEN ENDED** Choose a slope and *y*-intercept. Then graph the line.

Guided Practice Write an equation in slope-intercept form for each line.

3. slope = $\frac{1}{2}$, y-intercept = 1





4. slope = 0, *y*-intercept = -7

Write an equation in slope-intercept form for the line passing through each pair of points.

7. (2, 2) and (4, 3)


9. Write an equation in slope-intercept form to represent the table of values.

x	-4	0	4	8
y	-4	-1	2	5

Application 10. PICNICS It costs \$50 plus \$10 per hour to rent a park pavilion.

- **a.** Write an equation in slope-intercept form that shows the cost *y* for renting the pavilion for *x* hours.
- **b.** Find the cost of renting the pavilion for 8 hours.

Practice and Apply



Write an equation in slope-intercept form for the line passing through each pair of points.

23. (-2, -1) and (1, 2) **24.** (-4, 3) and (4, -1) **25.** (0, 0) and (-1, 1)

Write an equation in slope-intercept form for each table of values.

29.	X	-1	0	1	2	۱
	y	-7	-3	1	5	J

• **SOUND** For Exercises 31 and 32, use the table that shows the distance that sound travels through dry air at 0°C.

- **31.** Write an equation in slope-intercept form to represent the data in the table. Describe what the slope means.
- **32.** Estimate the number of miles that sound travels through dry air in one minute.

30.	X	-3	-1	1	3	
	y	7	5	3	1	

2)

Time(s)	Distance (ft)
X	У
0	0
1	1088
2	2176
3	3264

- **33. CRITICAL THINKING** A CD player has a pre-sale price of \$*c*. Kim buys it at a 30% discount and pays 6% sales tax. After a few months, she sells it for \$*d*, which was 50% of what she paid originally.
 - **a.** Express *d* as a function of *c*.
 - b. How much did Kim sell it for if the pre-sale price was \$50?
- **34.** WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How can you model data with a linear equation?

Include the following in your answer:

• an explanation of how to find the *y*-intercept and slope by using a table.

35. Which equation is of a line that passes through (2, -2) and (0, 2)?

(A) y = -3x (B) y = -2x + 3 (C) y = -2x + 2 (D) y = -3x + 2

36. Which equation represents the table of values?

(A) $y = -2x + 4$	(B) $y = 2x + 6$
$\bigcirc y = -\frac{1}{2}x + 4$	(D) $y = -x - 6$

X	-4	-8	-12	-16
У	6	8	10	12

Maintain Your Skills

Mixed Review	State the slope and the <i>y</i> -intercept for the graph of each equation. (<i>Lesson</i> 8-6)		
	37. $y = 6x + 7$	38. $y = -x + 4$	39. $-3x + y = -2$
	40. Suppose <i>y</i> varies or relating <i>x</i> and <i>y</i> .	5	hen $x = 35$. Write an equation
Getting Ready for	PREREQUISITE SKILL	(To review scatter plots , see	Lesson 1-7.)
the Next Lesson	show a <i>positive, ne</i>	catter plot containing the f <i>egative</i> , or <i>no</i> relationship. 36), (5, 44), (4, 32), (3, 30),	ollowing set of points would (6, 50)



More About. .

Sound • Coyotes communicate by using different barks and howls. Because of the way in which sound travels, a coyote is usually not in the area from which the sound

seems to be coming.

Source: www.livingdesert.org






8-8 Best-Fit Lines

What You'll Learn

- Draw best-fit lines for sets of data.
- Use best-fit lines to make predictions about data.
- *How* can a line be used to predict life expectancy for future generations?

The scatter plot shows the number of years people in the United States are expected to live, according to the year they were born.

- **a.** Use the line drawn through the points to predict the life expectancy of a person born in 2010.
- **b.** What are some limitations in using a line to predict life expectancy?



Study Tip

Vocabulary

best-fit line

Estimation


Drawing a best-fit line using the method in this lesson is an estimation. Therefore, it is possible to draw different lines to approximate the same data. **BEST-FIT LINES** When real-life data are collected, the points graphed usually do not form a straight line, but may approximate a linear relationship. A best-fit line can be used to show such a relationship. A **best-fit line** is a line that is very close to most of the data points.

Example 🕕 Make Predictions from a Best-Fit Line


MONEY The table shows the changes in the minimum wage since 1980.

a. Make a scatter plot and draw a best-fit line for the data.

Draw a line that best fits the data.



Year	Wage (\$/h)
1980	3.10
1981	3.35
1990	3.80
1996	4.25
1997	4.75
2000	5.15



b. Use the best-fit line to predict the minimum wage for the year 2010.

Extend the line so that you can find the *y* value for an *x* value of 2010. The *y* value for 2010 is about 6.4. So, a prediction for the minimum wage in 2010 is approximately \$6.40.

CONTENTS

www.pre-a	lg.com/	'extra_	examp	es

equation of a best-fit line.

Example 2 Make Predictions from an Equation

SWIMMING The scatter plot shows the winning Olympic times in the women's 800-meter freestyle event from 1968 through 2000.

a. Write an equation in slope-intercept form for the best-fit line.

Step 1

First, select two points on the line and find the slope. Notice that the two points on the best-fit line are not original data points. We have chosen (1980, 525) and (1992, 500).

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$
 Definition of slope
= $\frac{525 - 500}{1980 - 1992}$ $(x_1, y_1) = (1992, 500)$
 $(x_2, y_2) = (1980, 525)$
 ≈ -2.1 Simplify.

Step 2

Next, find the *y*-intercept.

y = mx + bSlope-intercept form 525 = -2.1(1980) + b Replace (*x*, *y*) with (1980, 525) and *m* with -2.1. $4683 \approx b$ Simplify.

Step 3

Write the equation.

y = mx + bSlope-intercept form y = -2.1x + 4683Replace *m* with -2.1 and *b* with 4683.

b. Predict the winning time in the women's 800-meter freestyle event in the year 2008.


y = -2.1x + 4683	Write the equation of the best-fit line.
y = -2.1(2008) + 4683	Replace x with 2008.
$y \approx 466.2$	Simplify.

A prediction for the winning time in the year 2008 is approximately 466.2 seconds or 7 minutes, 46.2 seconds.


Check for Understanding

1. Explain how to use a best-fit line to make a prediction. Concept Check

> **2. OPEN ENDED** Make a scatter plot with at least ten points that appear to be somewhat linear. Draw two different lines that could approximate the data.







Guided Practice TECHNOLOGY For Exercises 3 and 4, use the table that shows the number of U.S. households with Internet access.

Application SPENDING For Exercises 5 and 6, use

States.

3. Make a scatter plot and draw a best-fit line.

the best-fit line that shows the billions of dollars spent by travelers in the United

5. Write an equation in slope-intercept

6. Use the equation to predict how much


money travelers will spend in 2008.

form for the best-fit line.

4. Use the best-fit line to predict the number of U.S. households that will have Internet access in 2005.

Year	Number of Households (millions)
1995	9.4
1996	14.7
1997	21.3
1998	27.3
1999	32.7
2000	36.0

Source: Wall Street Journal Almanac



Practice and Apply

Homework Help		
For	See	
Exercises	Examples	
7, 8, 12, 13	1	
9–11, 14–17	2	
Extra Practice See page 744.		

ENTERTAINMENT For Exercises 7 and 8, use the table that shows movie attendance in the United States.

- 7. Make a scatter plot and draw a best-fit line.
- **8.** Use the best-fit line to predict movie attendance in 2005.

Year	Attendance (millions)
1993	1244
1994	1292
1995	1263
1996	1339
1997	1388
1998	1475
1999	1460

Source: Wall Street Journal Almanac


Altitude (ft)	Barometric Pressure (in. mercury)
0	30
5000	25
10,000	21
20,000	14
30,000	9
40,000	6
50,000	3

Source: New York Public Library Science Desk Reference

PRESSURE For Exercises 9–11, use the table that shows the approximate barometric


- **pressure at various altitudes.9.** Make a scatter plot of the data and draw a best-fit line.
- **10.** Write an equation for the best-fit line and use it to estimate the barometric pressure at 60,000 feet. Is the estimation reasonable? Explain.
- **11.** Do you think that a line is the best model for this data? Explain.





Pole Vaulting

In 1964, thirteen competitors broke or equaled the previous Olympic pole vault record a total of 36 times. This was due to the new fiberglass pole. Source: Chance



- **12.** Make a scatter plot and draw a best-fit line.
- **13.** Use the best-fit line to predict the winning pole vault height in the 2008 Olympics.

Year	Height (in.)
1976	217
1980	228
1984	226
1988	232
1992	228
1996	233
2000	232

Source: The World Almanac

EARTH SCIENCE For Exercises 14–17, use the table that shows the latitude and the average temperature in July for five cities in the United States.

City	City Latitude (°N) Average July High Temperature (°F			
Chicago, IL	41	73		
Dallas, TX	32	85		
Denver, CO 39 74		74		
New York, NY	40	77		
Duluth, MN	46	66		

Source: The World Almanac

- 14. Make a scatter plot of the data and draw a best-fit line.
- **15.** Describe the relationship between latitude and temperature shown by the graph.
- 16. Write an equation for the best-fit line you drew in Exercise 14.
- **17.** Use your equation to estimate the average July temperature for a location with latitude 50° north.
- **18. CRITICAL THINKING** The table at the right shows the percent of public schools in the United States with Internet access. Suppose you use (Year, Percent of Schools) to write a linear equation describing the data. Then you use (Years Since 1996, Percent of Schools) to write an equation. Is the slope or *y*-intercept of the graphs of the equations the same? Explain.

Year	Years Since 1996	Percent of Schools
1996	0	65
1997	1	78
1998	2	89
1999	3	95
2000	4	98

Source: National Center for Education Statistics

19. WRITING IN MATH

Answer the question that was posed at the beginning of the lesson.

How can a line be used to predict life expectancy for future generations? Include the following in your answer:

- a description of a best-fit line, and
- an explanation of how lines can represent sets of data that are not exactly linear.



Best-fit lines can help make predictions about recreational activities. Visit www.pre-alg.com/ webquest to continue work on your WebQuest project.





20. Use the best-fit line at the right to predict the value of y when x = 7.



© 0


21. Choose the correct statement about best-fit lines.


D 7

- A best-fit line is close to most of the data points.
- (B) A best-fit line describes the exact coordinates of each point in the data set.
- C A best-fit line always has a positive slope.
- D A best-fit line must go through at least two of the data points.

Maintain Your Skills

Mixed Review Write an equation in slope-intercept form for each line. (Lesson 8-7)






Graph each equation using the slope and *y*-intercept. (Lesson 8-6) 26. y = x - 2 27. y = -x + 3 28. $y = \frac{1}{2}x$

Solve each inequality and check your solution.(Lesson 7-6)**29.** $3n - 11 \le 10$ **30.** 8(x + 1) < 16**31.** 5d + 2 > d - 4

32. SCHOOL Zach has no more than twelve days to complete his science project. Write an inequality to represent this sentence. *(Lesson 7-3)*

Solve each proportion. *(Lesson 6-2)* 33. $\frac{a}{3} = \frac{16}{24}$ 34. $\frac{5}{10} = \frac{15}{x}$ 35. $\frac{2}{16} = \frac{n}{36}$ 36. Evaluate *xy* if $x = \frac{8}{9}$ and $y = \frac{12}{30}$. Write in simplest form. *(Lesson 5-3)*

Getting Ready for
the Next LessonPREREQUISITE SKILL
the given value of x.Find the value of y in each equation by substituting
(To review substitution, see Lesson 1-2.)37. y = x + 1; x = 238. y = x + 5; x = -139. y = x - 4; x = 340. x + y = 2; x = 041. x + y = -1; x = 142. x + y = 0; x = 4



Lesson 8-8 Best-Fit Lines 413



8-9 Solving Systems of Equations

What You'll Learn

- Solve systems of linear equations by graphing.
- Solve systems of linear equations by substitution.

Vocabulary

- system of equations
- substitution

How can a system of equations be used to compare data?

Yolanda is offered two summer jobs, as shown in the table.

a. Write an equation to represent the income from each job. Let *y* equal the salary and let *x* equal the number of hours worked. (*Hint*: Income = hourly rate · number of hours worked + bonus.)

Job	Hourly Rate	Bonus
А	\$10	\$50
В	\$15	\$0

- **b.** Graph both equations on the same coordinate plane.
- **c.** What are the coordinates of the point where the two lines meet? What does this point represent?

SOLVE SYSTEMS BY GRAPHING The equations y = 10x + 50 and y = 15x together are called a **system of equations**. The solution of this system is the ordered pair that is a solution of both equations, (10, 150).

$$y = 10x + 50$$

150 $\stackrel{?}{=} 10(10) + 50$
150 $= 150 \checkmark$
Replace (x, y)
with (10, 150).

$$y = 15x$$

150 $\stackrel{?}{=} 15(10)$
150 $= 150 \checkmark$

One method for solving a system of equations is to graph the equations on the same coordinate plane. The coordinates of the point where the graphs intersect is the solution of the system of equations.


Example 🚺 Solve by Graphing

Solve the system of equations by graphing.

- y = -x
- y = x + 2

The graphs appear to intersect at (-1, 1). Check this estimate by substituting the coordinates into each equation.

CHECK y = -x y = x + 2 $1 \stackrel{?}{=} -(-1)$ $1 \stackrel{?}{=} -1 + 2$ $1 = 1 \checkmark$ $1 = 1 \checkmark$



The solution of the system of equations is (-1, 1).

Concept Check

Is (0, 0) a solution of the system of equations in Example 1? Explain.



Example 2 One Solution

ENTERTAINMENT Video Planet offers two rental plans.

- a. How many videos would Walt need to rent in a year for the plans to cost the same?
 - Explore You know the rental fee per video and the annual fee.



Plan Write an equation to represent each plan, and then graph the equations to find the solution.

rental fee times

4x

1.50x

Solve

Let x = number of videos rented and let y = the total cost.

+

+

annual

fee


0

number of videos cost Plan A y = Plan B y = The graph of the system shows the solution is (8, 32). This means that if Walt rents 8 videos in a year, the plans

total

Examine Check by substituting (8, 32)into both equations in the system.

cost the same, \$32.



b. Which plan would cost less if Walt rents 12 videos in a year?


For x = 12, the line representing Plan B has a smaller y value. So, Plan B would cost less.

Example 3 No Solution

Solve the system of equations by graphing.

```
y = 2x + 4
y = 2x - 1
```

The graphs appear to be parallel lines. Since there is no coordinate pair that is a solution to both equations, there is no solution of this system of equations.




Example 4 Infinitely Many Solutions

Solve the system of equations by graphing.

$$2y = x + 6$$
$$y = \frac{1}{2}x + 3$$

Both equations have the same graph. Any ordered pair on the graph will satisfy both equations. Therefore, there are infinitely many solutions of this system of equations.



Study Tip

Slopes/Intercepts

When the graphs of a system of equations have:

- different slopes, there is exactly one solution,
- the same slope and different y-intercepts, there is no solution,
- the same slope and the same y-intercept, there are infinitely many solutions.



Concept Summary	Solution s to S	Systems of Equations
One Solution	No Solution	Infinitely Many Solutions
O X	O x	
Intersecting Lines	Parallel Lines	Same Line

SOLVE SYSTEMS BY SUBSTITUTION A more accurate way to solve a system of equations is by using a method called **substitution**.

Example 5 Solve by Substitution


Solve the system of equations by substitution.

y = x + 5y = 3

Since *y* must have the same value in both equations, you can replace *y* with 3 in the first equation.

y = x + 5Write the first equation.3 = x + 5Replace y with 3.-2 = xSolve for x.

The solution of this system of equations is (-2, 3). You can check the solution by graphing. The graphs appear to intersect at (-2, 3), so the solution is correct.



Check for Understanding

Concept Check **1.** Explain what is meant by a system of equations and describe its solution.


2. OPEN ENDED Draw a graph of a system of equations that has one solution, a system that has no solution, and a system that has infinitely many solutions.

Guided Practice **3.** State the solution of the system of equations graphed at the right.

Solve each system of equations by graphing.

4. y = 2x + 1 y = -x + 1 **5.** x + y = 4x + y = 2

Solve each system of equations by substitution. 6. y = 3x - 4 7. x + y = 8





Application


8. GEOMETRY The perimeter of a garden is 40 feet. If the width *y* equals 7 feet, write and solve a system of equations to find the length of the garden.





Practice and Apply

Homework Help		
For Exercises	See Examples	
9-17	1, 3, 4	
18-23	5	
24–26	2	
Extra P See pag		

State the solution of each system of equations.







Solve each system of equations by graphing.

12. $y = -x$	13. $x + y = 6$	14. $2x + y = 1$
y = x + 2	y = x	y = -2x + 5
15. $y = \frac{2}{3}x$	16. $x + y = -4$ x - y = -4	17. $y = -\frac{1}{2}x + 3$
2x - 3y = 0	x - y = -4	y = -2x

Solve each system of equations by substitution.

18. $y = x + 1$	19. $y = x + 2$
x = 3	y = 0
21. $x + y = 6$	22. $2x + 3y = 5$
x = -4	y = x

23. x + y = 9y = 2xShipping Charges Internet Base Charge per Site Pound Fee А \$5.00 \$1.00

\$2.00

\$1.50

В

20. y = 2x + 7

y = -5

- **SNOWBOARDS** For Exercises 24–26, use the following information and the table. Two Internet sites sell a snowboard for the same price, but have different shipping charges.
 - 24. Write a system of equations that represents the shipping charges *y* for *x* pounds. (*Hint*: Shipping charge = base fee + charge per pound \cdot number of pounds.)
 - **25.** Solve the system of equations. Explain what the solution means.
 - 26. If the snowboard weighs 8 pounds, which Internet site would be less expensive? Explain.
 - 27. CRITICAL THINKING Two runners A and B are 50 meters apart and running at the same rate along the same path.

CONTENTS

- **a.** If their rates continue, will the second runner ever catch up to the first? Draw a graph to explain why or why not.
- **b.** Draw a graph that represents the second runner catching up to the first. What is different about the two graphs that you drew?




More About.

Snowboards •

In 1998, snowboarding became an Olympic event in Nagano, Japan, with a giant slalom and halfpipe competition.

Source: www.snowboarding. about.com





28. WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How can a system of equations be used to compare data?

Include the following in your answer:

- a situation that can be modeled by a system of equations, and
- an explanation of what a solution to such a system of equations means.



29. Which system of equations represents the following verbal description? *The sum of two numbers is 6. The second number is three times greater than the first number.*

(A) x + y = 6 (B) y = x + 6 (C) x + y = 6 (D) x - y = 6x = 3 + y (y = x + 3) (y = 3x) (y = -3x)

30. Which equation, together with x + y = 1, forms a system that has a solution of (-3, 4)?

(A) y = x (B) x - y = 1 (C) y = x + 7 (D) -3x + 4y = 1

Maintain Your Skills

Mixed Review 31. SALES Ice cream sales increase as the temperature outside increases. Describe the slope of a best-fit line that represents this situation. (Lesson 8-8)

Write an equation in slope-intercept form for the line passing through each pair of points. (Lesson 8-7)

32. (0, 1) and (3, 7) **33.** (-2, 6) and (1, -3) **34.** (8, 0) and (-8, -4)

Getting Ready for the Next Lesson PREREQUISITE SKILL State whether each number is a solution of the given inequality. (To review inequalities, see Lesson 7-3.) $35, 1 \le x + 3; 0$ $36, 9 \ge t - 5; 1$ $37, 2u \ge 2; -1$

35. $1 < x + 5, 0$	30. $9 > t = 0, 1$	$37. 2y \ge 2, -1$
38. 14 < 6 - <i>n</i> ; 0	39. 35 > 12 + <i>k</i> ; 12	40. $5n + 1 \le 0; -2$

Practice Quiz 2

State the slope and the *y*-intercept for the graph of each equation. (Lesson 8-6) 1. y = -x + 82. y = 3x - 53. x + 2y = 6

Write an equation in slope-intercept form for each line. (Lesson 8-7)

4. slope = 6 y-intercept = -7 **5.** slope = 0

y-intercept = 1

6. slope = 1 y-intercept = 0

Lessons 8-6 through 8-9

Year	1984	1988	1992	1996	2000	
Average Age	24.6	25.0	27.3	28.7	29.2	

Source: Sports Illustrated

Solve each system of equations by substitution. (Lesson 8-9)

8.
$$y = x - 1$$

 $y = 2$

9. y = x + 5x = 0

best-fit line. (Lesson 8-8)

7. STATISTICS The table shows the average age of the Women's U.S. Olympic track and field team. Make a scatter plot of the data and draw a



8-10 Graphing Inequalities

What You'll Learn

- Graph linear inequalities.
- Describe solutions of linear inequalities.

Vocabulary

boundary

half plane

How can shaded regions on a graph model inequalities?

Refer to the graph at the right.

- **a.** Substitute (-4, 2) and (3, 1) in y > 2x + 1. Which ordered pair makes the inequality true?
- **b.** Substitute (-4, 2) and (3, 1) in y < 2x + 1. Which ordered pair makes the inequality true?
- **c.** Which area represents the solution of y < 2x + 1?

GRAPH INEQUALITIES To graph an inequality such as y > 2x - 3, first graph the related equation y = 2x - 3. This is the **boundary**.

- If the inequality contains the symbol ≤ or ≥, then use a solid line to indicate that the boundary is included in the graph.
- If the inequality contains the symbol < or >, then use a dashed line to indicate that the boundary is not included in the graph.

Next, test any point above or below the line to determine which region is the solution. It is easy to test (0, 0).

y > 2x - 3	Write the inequality.
$0 \stackrel{?}{>} 2(0) - 3$	Replace <i>x</i> with 0 and <i>y</i> with 0.
$0 > -3 \checkmark$	Simplify.

Since 0 > -3 is true, (0, 0) is a solution of y > 2x - 3. Shade the region that contains the solution. This region is called a **half plane**. All points in this region are solutions of the inequality.

Example 🚺 Graph Inequalities

a. Graph y < -x + 1.


Graph y = -x + 1. Draw a dashed line since the boundary is not part of the graph.


Test (0, 0):
$$y < -x + 1$$


 $0 < -0 + 1$ Replace (*x*, *y*) with (0, 0).
 $0 < 1 \checkmark$


CONTENTS

Thus, the graph is all points in the region below the boundary.










b. Graph $y \ge 2x + 2$.

Graph y = 2x + 2. Draw a solid line since the boundary is part of the graph.

Test (0, 0): $y \ge 2x + 2$ $0 \ge 2(0) + 2$ Replace (x, y) with (0, 0). $0 \ge 2$ not true



(0, 0) is not a solution, so shade the other half plane.

CHECK Test an ordered pair in the other half plane.

Concept Check Is (0, 2) a solution of $y \ge 2x + 2$? Explain.

FIND SOLUTIONS You can write and graph inequalities to solve realworld problems. In some cases, you may have to solve the inequality for y first and then graph the inequality.

Example 2) Write and Graph an Inequality to Solve a Problem

SCHOOL Nathan has at most 30 minutes to complete his math and science homework. How much time can he spend on each?

Step 1 Write an inequality.

Let *x* represent the time spent doing math homework and let *y* represent the time spent doing science homework.


 $\underbrace{ \begin{array}{c} \text{Minutes} \\ \text{doing math} \\ x \end{array}}_{x} \underbrace{ \begin{array}{c} \text{plus} \\ + \end{array}}_{y} \underbrace{ \begin{array}{c} \text{minutes doing} \\ \text{science} \end{array}}_{y} \underbrace{ \begin{array}{c} \text{is at} \\ \text{most} \\ \text{science} \end{array}}_{30} \underbrace{ \begin{array}{c} 30 \\ \text{minutes.} \end{array}}_{30} \\ \underbrace{ \begin{array}{c} \text{minutes.} \\ 30 \end{array}}_{y} \\ \end{array}$

Step 2 Graph the inequality.

To graph the inequality, first solve for *y*.

 $x + y \le 30$ Write the inequality. $y \le -x + 30$ Subtract x from each side.

Graph $y \le -x + 30$ as a solid line since the boundary is part of the graph. The origin is part of the graph since $0 \le -0 + 30$. Thus, the coordinates of all points in the shaded region are possible solutions.



Study Tip

Common Misconception

You may think that only whole number solutions are possible. Points in the shaded region such as (10.5, 18.5) are also solutions.

- (10, 20) = 10 minutes on math, 20 minutes on science
- (15, 15) = 15 minutes on math, 15 minutes on science

(10, 15) = 10 minutes on math, 15 minutes on science

(30, 0) = 30 minutes on math, 0 minutes on science

Note that the solutions are only in the first quadrant because negative values of time do not make sense.



Check for Understanding

Concept Check	1. Write an inequality that describes the graph at the right.	
	 2. Explain how to determine which side of the boundary line to shade when graphing an inequality. 	
	3. List three solutions of each inequality.	
	a. $y < x$ b. $y \ge x - 3$	
	4. OPEN ENDED Write an inequality that has (1, 4) as a solution.	
Guided Practice	Graph each inequality.	
	5. $y > x - 1$ 6. $y \le 2$ 7. $y \ge -3x + 2$	
Application	 ENTERTAINMENT For Exercises 8 and 9, use the following information. Adult passes for World Waterpark are \$25, and children's passes are \$15. A company is buying tickets for its employees and wants to spend no more than \$630. 8. Write an inequality to represent this situation. 9. Graph the inequality and use the graph to determine three possible combinations of tickets that the company could buy. 	

Practice and Apply

Homework Help		
For Exercises	See Examples	
10–21 22–32	1 2	
Extra Practice See page 744.		

Graph each inequality.

Oruph cuch mequancy.		
10. $y \ge x$	11. $y < x$	12. <i>y</i> < 1
13. $y \ge -3$	14. $y > x - 1$	15. $y \le x + 4$
16. $y \le -x$	17. $y \ge 0$	18. $y > 2x + 3$
19. $y < 2x - 4$	20. $y < \frac{1}{2}x + 2$	21. $y \ge -\frac{1}{3}x - 1$

BUSINESS For Exercises 22–26, use the following information.


For a certain business to be successful, its monthly sales y must be at least \$3000 greater than its monthly costs x.

- **22.** Write an inequality to represent this situation.
- **23.** Graph the inequality.
- **24.** Do points above or below the boundary line indicate a successful business? Explain how you know.
- 25. Would negative numbers make sense in this problem? Explain.
- 26. List two solutions.

CRAFTS For Exercises 27–29, use the following information.

Celia can make a small basket in 10 minutes and a large basket in 25 minutes. This month, she has no more than 24 hours to make these baskets for an upcoming craft fair.

- 27. Write an inequality to represent this situation.
- **28.** Graph the inequality.
- **29.** Use the graph to determine how many of each type of basket that she could make this month. List three possibilities.



Study Tip

In Exercise 29, only whole-

Solutions

sense since there cannot be parts of baskets.

www.pre-alg.com/self_check_quiz






Rafting •·····


More than 25 whitewater rafting companies are located on the American River in California. A typical fee is \$125 per person per day.

Source: www.raftingwhitewater.com



Collin's Rent-a-Raft rents Super Rafts for \$100 per day and Econo Rafts for \$40 per day. He wants to receive at least \$1500 per day renting out the rafts.


- **30.** Write an inequality to represent this situation.
- **31.** Graph the inequality.
- **32.** Determine how many of each type of raft that Collin could rent out each day in order to receive at least \$1500. List three possibilities.
- **33. CRITICAL THINKING** The solution of a *system of inequalities* is the set of all ordered pairs that satisfies *both* inequalities.
 - **a.** Write a system of inequalities for the graph at the right.
 - **b.** List three solutions of the system.



34. WRITING IN MATH Answer the question that was posed at the beginning of the lesson.

How can shaded regions on a graph model inequalities? Include the following in your answer:

- a description of which points in the graph are solutions of the inequality.
- **35.** Determine which ordered pair is a solution of y 8 > x.



36. Which inequality does *not* have the boundary included in its graph? (A) y > x (B) $y \le 1$ (C) $y \ge x + 5$ (D) $y \ge 0$

Maintain Your Skills

Standardized


Test Practice

Mixed Review	Solve each system of eq	uations by graphing.	(Lesson 8-9)
	37. $y = x + 3$	38. $y = -x + 2$	39. $y = -2x - 1$
	x = 0	y = x + 4	y = -x - 3

40. Explain how you can make predictions from a set of ordered-pair data. *(Lesson 8-8)*

Write each fraction or mixed number as a decimal. Use a bar to show a repeating decimal. (Lesson 5-1)

41. $\frac{2}{5}$ **42.** $3\frac{7}{10}$ **43.** $-\frac{5}{9}$








Graphing Calculator Investigation

A Follow-Up of Lesson 8-10

Graphing Inequalities

You can use a TI-83 Plus graphing calculator to investigate the graphs of inequalities. Since the graphing calculator only shades between two functions, enter a lower boundary as well as an upper boundary for each inequality.



Exercises

- 1. Compare and contrast the two graphs shown above.
- **2. a.** Graph $y \ge -2x 6$ in the standard viewing window. Draw the graph on grid paper.
 - **b.** What functions do you enter as the lower and upper boundaries?
 - **c.** Use the graph to name four solutions of the inequality.

Use a graphing calculator to graph each inequality. Draw each graph on grid paper.

3. $y \le x - 3$	4. $y \le -1$	5. $x + y \ge 6$	6. $y \ge 3x$
7. $y \le 0$	8. $y + 3 \le -x$	9. $x + y \le 5$	10. $2y - x \ge 2$

www.pre-alg.com/other_calculator_keystrokes Graphing Calculator Investigation Graphing Inequalities 423



Study Guide and Review

Vocabulary and Concept Check

best-fit line (p. 409) boundary (p. 419) constant of variation (p. 394) direct variation (p. 394) family of graphs (p. 402) function (p. 369) half plane (p. 419) linear equation (p. 375) rate of change (p. 393) slope (p. 387) slope-intercept form (p. 398) substitution (p. 416) system of equations (p. 414) vertical line test (p. 370) *x*-intercept (p. 381) *y*-intercept (p. 381)

Choose the letter of the term that best matches each statement or phrase.

- **1.** a relation in which each member of the domain is paired with exactly one member of the range
- 2. in a graph of an inequality, the line of the related equation
- 3. a value that describes the steepness of a line
- 4. a group of two or more equations
- **5.** can be drawn through data points to approximate a linear relationship
- 6. a change in one quantity with respect to another quantity
- 7. a graph of this is a straight line
- 8. one type of method for solving systems of equations
- 9. a linear equation that describes rate of change
- **10.** in the graph of an inequality, the region that contains all solutions

a. best-fit line

- **b.** boundary
- c. direct variation
- d. function
- e. half plane
- f. linear equation
- **g.** rate of change
- h. slope
- i. substitution
- j. system of equations

Lesson-by-Lesson Review

8-1 See pages 369–373.

Functions



• In a function, each member in the domain is paired with exactly one member in the range.

Example

Determine whether $\{(-9, 2), (1, 5), (1, 10)\}$ is a function. Explain.

domain (*x*) range (*y*)

2

 $-9 \longrightarrow 1 \longrightarrow$

- This relation is not a function
- 5 because 1 in the domain is paired
- 10 with two range values, 5 and 10.


 Exercises
 Determine whether each relation is a function. Explain.

 See Example 1 on page 369.
 11. {(1, 12), (-4, 3), (6, 36), (10, 6)}
 12. {(11.8, -9), (10.4, -2), (11.8, 3.8)}

 13. {(0, 0), (2, 2), (3, 3), (4, 4)}
 14. {(-0.5, 1.2), (3, 1.2), (2, 36)}

CONTENTS

www.pre-alg.com/vocabulary_review



ExercisesGraph each equation using the x- and y-intercepts.See Example 3 on page 382.**23.** y = x + 2**24.** y = x + 6**25.** y = -x - 3**26.** y = x - 1**27.** x = -4**28.** y = 5**29.** x + y = -2**30.** 3x + y = 6





Slope

Concept Summary

• Slope is the ratio of the *rise*, or the vertical change, to the *run*, or the horizontal change.

Example Find the slope of the line that passes through A(0, 6), B(4, -2).

 $m = \frac{y_2 - y_1}{x_2 - x_1}$ Definition of slope $m = \frac{-2-6}{4-0} \quad \begin{array}{l} (x_1, y_1) = (0, 6), \\ (x_2, y_2) = (4, -2) \end{array}$ $m = \frac{-8}{4}$ or -2 The slope is -2.

Exercises Find the slope of the line that passes through each pair of points. See Examples 2-5 on pages 388 and 389.

31. <i>J</i> (3, 4), <i>K</i> (4, 5)	32. <i>C</i> (2, 8), <i>D</i> (6, 7)	33. <i>R</i> (7, 3), <i>B</i> (-1, -4)
34. <i>Q</i> (2, 10), <i>B</i> (4, 6)	35. <i>X</i> (-1, 5), <i>Y</i> (-1, 9)	36. <i>S</i> (0 <i>,</i> 8) <i>, T</i> (−3 <i>,</i> 8)

Rate of Change

See pages : 393-397.

Concept Summary

- A change in one quantity with respect to another quantity is called the rate of change.
- Slope can be used to describe rates of change.

Example

Find the rate of change in population from 1990 to 2000 for Oakland, California, using the graph.

rate of change = $\frac{y_2 - y_1}{x_2 - x_1}$

$e = \frac{y_2 - y_1}{x_2 - x_1}$	Definition of slope
$=\frac{400-372}{2000-1990}$	$\leftarrow \text{ change in population} \\ \leftarrow \text{ change in time}$
= 2.8	Simplify.

Year	Population (1000s)	
X	У	
1990	372	
2000	400	


So, the rate of change in population was an increase of about 2.8 thousand, or 2800 people per year.

Exercises Find the rate of change for the linear function represented in each table. See Example 1 on page 393.

37.	Time (s)	Distance (m)	38.	Time (h)	Temperature (°F)
	x	у		X	У
	0	0		1	45
	1	8		2	43
	2	16		3	41



Chapter 8 Study Guide and Review



Extra Practice, see pages 741–744.Mixed Problem Solving, see page 765.

8-9	Solving Systems of Equations		
See pages			
414–418.	 The solution of a system of equations is the ordered pair that satisfies all equations in the system. 		
Examples	1 Solve the system of equations by graphing. y = x y = -x + 2 The graphs appear to intersect at (1, 1). The		
	solution of the system of equations is (1, 1).		
	2 Solve the system $y = x - 1$ and $y = 3$ by substitution.		
	y = x - 1Write the first equation. $3 = x - 1$ Replace y with 3. $4 = x$ Solve for x.		
	The solution of this system of equations is $(4, 3)$. Check by graphing.		
	Exercises Solve each system of equations by graphing. See Examples 1–4 on pages 414 and 415.		
	47. $y = x$ $y = 3$ 48. $y = 2x + 4$ $x + y = -2$ 49. $3x + y = 1$ $y = -3x + 5$		
	Solve each system of equations by substitution. See Example 5 on page 416.		
	50. $y = x + 6$ 51. $y = x$ 52. $y = 2x - 3$		
	$y = -1 \qquad \qquad x = 4 \qquad \qquad y = 0$		
8-10	Graphing Inequalities		
See pages 419–422.			
713-422.	 To graph an inequality, first graph the related equation, which is the boundary. 		

chapter

8

For More ...

• All points in the shaded region are solutions of the inequality.

ExampleGraph y < x + 2.Graph y = x + 2. Draw a dashed line since
the boundary is not part of the graph.
Test a point in the original inequality and
shade the appropriate region.

			5	y	1	
y.	< >	(+		/		
			Y			
-		/	0			x
	/		0	_		X
				-		
				,		
_						

 Exercises
 Graph each inequality.
 See Example 1 on pages 419 and 420.

 53. $y \le 3x - 1$ 54. $y > \frac{1}{2}x - 3$ 55. $y \ge -x + 4$ 56. y < -2x





Practice Test

Vocabulary and Concepts

- 1. **Describe** how to find the *x*-intercept and the *y*-intercept of a linear equation.
- 2. State how to choose which half plane to shade when graphing an inequality.
- **3. OPEN ENDED** Write a system of equations and explain what the solution is.

Skills and Applications

Determine whether each relation is a function. Explain.

4. $\{(-3, 4), (2, 9), (4, -1), (-3, 6)\}$

5. $\{(1, 2), (4, -6), (-3, 5), (6, 2)\}$

7. 3x + y = 4

Graph each equation by plotting ordered pairs.

6. y = 2x + 1

Find the *x*-intercept and *y*-intercept for the graph of each equation. Then, graph the equation using the *x*- and *y*-intercepts.

8.
$$y = x + 3$$
 9. $2x - y = 4$

Find the slope of the line that passes through each pair of points. **11.** C(-4, 5), D(6, -3)

10. *A*(2, 5), *B*(4, 11)

12. Find the rate of change for the linear function represented in the table.

Hours Worked	1	2	3	4
Money Earned (\$)	5.50	11.00	16.50	22.00

State the slope and *y*-intercept for the graph of each equation. Then, graph each equation using the slope and y-intercept.

13. $y = \frac{2}{3}x - 4$ 14. 2x + 4y = 12

- **15.** Write an equation in slope-intercept form for the line with a slope of $\frac{3}{8}$ and *y*-intercept = -2.
- **16.** Solve the system of equations 2x y = 4 and 4x + y = 2.

17. Graph y > 2x - 1.

(A) (1, -7)

GARDENING For Exercises 18 and 19, use the table at the right and the information below.

The full-grown height of a tomato plant and the number of tomatoes it bears are recorded for five tomato plants.

- 18. Make a scatter plot of the data and draw a best-fit line.
- **19.** Use the best-fit line to predict the number of tomatoes a 43-inch tomato plant will bear.

B (1, -3)

20. STANDARDIZED TEST PRACTICE Which is a solution of $y \ge -2x + 5$?

Number of Height **Tomatoes** (in.) 27 12 33 18 19 9 40 16 31 15

● (-1,7)

www.pre-alg.com/chapter_test



○ (−1, 3)

Chapter 8 Practice Test 429

8 Standardized Test Practice

Part 1 Multiple Choice

Record your answers on the answer sheet provided by your teacher or on a sheet of paper.

1. A wooden rod is 5.5 feet long. If you cut the rod into 10 equal pieces, how many inches long will each piece be? (Prerequisite Skill, p. 715)

\bigcirc	0.55 in.	B	5.5 in.
C	6.6 in.		66 in.

2. Which of the following is a true statement? (Lesson 2-1)

(A) $\frac{9}{3} < \frac{3}{9}$	B $-\frac{3}{9} < -\frac{9}{3}$
$\bigcirc -\frac{9}{3} > \frac{3}{9}$	(D) $-\frac{3}{9} > -\frac{9}{3}$

3. You roll a cube that has 2 blue sides, 2 yellow sides, and 2 red sides. What is the probability that a yellow side will face upwards when the cube stops rolling? (Lesson 6-9)

A	$\frac{1}{6}$	B	$\frac{1}{3}$
\bigcirc	$\frac{1}{2}$	D	$\frac{2}{3}$


4. Luis used 3 quarts of paint to cover 175 square feet of wall. He now wants to paint 700 square feet in another room. Which proportion could he use to calculate how many quarts of paint he should buy? (Lesson 6-3)

(A)
$$\frac{175}{700} = \frac{x}{3}$$
 (B) $\frac{3}{700} = \frac{175}{x}$
(C) $\frac{700}{3} = \frac{175}{x}$ (D) $\frac{3}{175} = \frac{x}{700}$




Question 1

Pay attention to units of measurement, such as inches, feet, grams, and kilograms. A problem may require you to convert units; for example, you may be told the length of an object in feet and need to find the length of that object in inches. **5.** A shampoo maker offered a special bottle with 30% more shampoo than the original bottle. If the original bottle held 12 ounces of shampoo, how many ounces did the special bottle hold? (Lesson 6-7)



6. The graph shows the materials in a town's garbage collection. If the week's garbage collection totals 6000 pounds, how many pounds of garbage are *not* paper? (Lesson 6-7)



(A) 2220 (B) 3780 (C) 5630 (D) 5963

7. The sum of an integer and the next greater integer is more than 51. Which of these could be the integer? (Lesson 7-6)

B 5

D 7

(A) 23 (B) 24 (C) 25

- \bigcirc 26
- **8.** The table represents a function between *x* and *y*. What is the missing number in the table? (Lesson 8-1)



9. Which equation is represented by the graph? (Lesson 8-7) (A) y = 2x - 4

A 4


C 6

$$B y = 2x + 8$$


$$y = \frac{1}{2}x - 8$$

(D) $y = \frac{1}{2}x + 4$

CONTENTS




10. Which ordered pair is the solution of this system of equations? (Lesson 8-9)



Part 2 Short Response/Grid In


Record your answers on the answer sheet provided by your teacher or on a sheet of paper.

 The graph shows the shipping charges per order, based on the number of items shipped in the order. What is the shipping charge for an order with 4 items? (Prerequisite Skill, pp. 722–723)



- **12.** The length of a rectangle is 8 centimeters, and its perimeter is 24 centimeters. What is the area of the rectangle in square centimeters? (Lesson 3-5)
- **13.** Write the statement *y* is 5 more than one half the value of *x* as an equation. (Lesson 3-6)
- **14.** Write the number 0.09357 in scientific notation. Round your answer to two decimal places. (Lesson 4-8)
- **15.** If $y = -\frac{3}{2}$, what is the value of *x* in y = 4x 3? (Lesson 5-8)
- **16.** Write $\frac{3}{5}$ as a percent. (Lesson 6-4)
- **17.** In a diving competition, the diver in first place has a total score of 345.4. Ming has scored 68.2, 68.9, 67.5, and 71.7 for her first four dives and has one more dive remaining. Write an inequality to show the score *x* that Ming must receive on her fifth dive in order to overtake the diver in first place. (Lesson 7-4)

- 18. Ms. Vang drove at 30 mph for 30 minutes and at 56 mph for one hour and fifteen minutes. How far did she travel? (Lesson 8-5)
- **19.** What is the slope of the line that contains (0, 4) and (2, 5)? (Lesson 8-6)
- **20.** Find the solution of the system of equations graphed below. (Lesson 8-9)



Part 3 Extended Response

Record your answers on a sheet of paper. Show your work.

21. Krishnan is considering three plans for cellular phone service. The plans each offer the same services for different monthly fees and different costs per minute. (Lesson 8-6)

Plan	Monthly Fee	Cost per Minute
Х	\$0	\$0.24
Y	\$15.95	\$0.08
Z	\$25.95	\$0.04

- **a.** For each plan, write an equation that shows the total monthly cost *c* for *m* minutes of calls.
- **b.** What is the cost of each plan if Krishnan uses 100 minutes per month?
- **c.** Which plan costs the least if Krishnan uses 100 minutes per month?
- **d.** What is the cost of each plan if Krishnan uses 300 minutes per month?
- **e.** Which plan costs the least if Krishnan uses 300 minutes per month?

CONTENTS



www.pre-alg.com/standardized_test